



Test Report

No. AJFS1808008020FF

Date: AUG.20, 2018

Page 1 of 3

NINGBO XIANFENG NEW MATERIAL CO., LTD

NO.8 HUIISHI ROAD, JISHIGANG TOWN, HAISHU DISTRICT, NINGBO

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: SOLAR SCREEN E1 C7019

Color: BLACK

Composition: 30% POLYESTER 70%PVC

Style/item No.: /

Manufacturer: NINGBO XIANFENG NEW MATERIAL CO., LTD

Country of Destination: AMERICA / EUROPE

Test Requested:

Determine the flame resistance in accordance with test method 2 (folded test) of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films

Test Results: -- See attached sheet --

Conclusion: The tested sample "As Received" **meets** the requirements of Test Method 2 (folded test) of NFPA 701:2015.

Test Period:

Sample Receiving Date : AUG.15, 2018

Test Performing Date : AUG.15, 2018 TO AUG.17, 2018

Signed for and on behalf of
SGS-CSTC Co., Ltd. Anji Branch


Allen Zou
Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clause defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone (86-755) 8397 1442, or email: CN.Boc@sgs.com
No. 88, Sanyuan Road, Jishi, Sanyuan Industry Zone, Anji County, Taizhou Province, China 311300 | (86-571) 563825 | (86-571) 563825 | www.sgs.com.cn
中国·浙江·安吉县善园工业园区三园路88号 | 邮编: 311300 | (86-571) 563825 | (86-571) 563825 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No. AJFS1808008020FF

Date: AUG.20, 2018

Page 2 of 3

I. Test Conducted

This test was conducted in accordance with test method 2 (folded test) of NFPA 701:2015 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films.

II. Details of tested sample

Sample description / Color	Solar screen / Black
Area density	312 g/m ²
Products configuration	Single layer
Size of sample *	1200 mm×610 mm

* With the length parallel to the lengthwise direction of the material

III. Cleaning and Conditioning

Cleaning procedure: none

Prior to testing, the sample was:

[] Dried in oven at 105°C±3°C for 2 hours.

[] Conditioned at 20°C±5°C for 24 hours.

IV. Test results

Specimen No	Char length (mm)	After flame time (s)	Burning time of residues or drops (s)
1	230	0	0
2	238	0	0
3	221	0	0
4	228	0	0

Criteria for test method 2 (folded test) (Chapter 15):

1. When any specimen continues flaming for more than 2 seconds after the test flame is removed from contact with the specimen, the material shall be recorded as having failed the test.
2. When the length of char of any individual folded specimen exceeds 1050 mm, the material shall be recorded as having failed the test
3. When at any time during or after the application of the test flame any portions of residues of the material being tested break or drip from the specimen and fall to the floor of the test apparatus and continue burning for more than 2 seconds after reaching the floor of the test apparatus, the material shall be recorded as having failed the test
4. In the event that only one of the four folded specimens does not meet the criteria of 1 above, two new specimens cut in the same direction as the one that failed shall be tested, if both of the new specimens meet all of the criteria, the material shall be recorded as having passed this test.


To be continued....



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overall, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/electronic-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clause defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone (86-755) 8397 1442, or email: CN.Doccheck@sgs.com
 No. 30, Sengji Road, 1 Block, Sengji Industry Zone, Anji County, Taizhou Province, China 311330 ☎ (86-571) 563825 ☎ (86-571) 563825 www.sgs.com.cn
 中国·浙江·安吉县善贤工业园区一区阳光大道301号 邮编:311330 ☎ (86-571) 563825 ☎ (86-571) 563825 # sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No. AJFS1808006020FF

Date: AUG.20, 2018

Page 3 of 3

Photo Appendix:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clause defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the site of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing, inspection report & certificate, please contact us at telephone (86-755) 8397 1442, or email: CN.Check@sgs.com

No. 37, Sengji Road, 1 Block, Sengji Industry Zone, Aji County, Dajiang Province, China 512550 | (86-755) 508825 | (86-755) 508825 | www.sgs.com.cn
中国·浙江·安吉县康桥工业园区一区阳光大道301号 | 邮编: 512550 | (86-755) 508825 | (86-755) 508825 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)