



Form LG.044/Rev.0



Test  
TS EN ISO IEC 17025  
AB-0716-T

AB-0716-T
TURT200121656_ REVISED02
10-20

## TEST REPORT

Page 1 of 3

**REPORT NUMBER :** TURT200121656\_REVISED02

**SAMPLE DESCRIPTION :** One sample of brown woven fabric  
**DATE IN :** 21 September ,2020 ( 08:43:00)  
**RESUBMIT DATE :** 7 October ,2020 /13 October ,2020  
**DATE OUT :** 13 October ,2020 /14 October ,2020 /15 October ,2020  
**BUYER :** Rollease Ameda  
**MODEL/STYLE NO :** 36828-503  
**FIBER COMPOSITION :** Not Given  
**NOTE :**  
1-Test method was given by the applicant  
2-In this revised 02 report, model no was changed and quality was removed by the request of the applicant.  
This report replaced the report no TURT200121656\_REV01 dated on 14 October, 2020 and must be used instead of it  
Report no TURT200121656\_REV01 dated on 14 October, 2020 is invalid.  
**PROVIDED CARE LABEL :** Not Given

TEST	SAMPLE
Flame Propagation of Textiles and Films-Test Method 1	1 P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS = FURTHER STEPS / P\* = COMMERCIALLY ACCEPTED BY CLIENT


This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Tests marked (\*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

PP

Ayda CETINKAYA  
Gizem OZDIN  
Customer Care Executive

İsmail AVCIOĞLU  
Textile Laboratory Assistant  
Manager

**Intertek Test Hizmetleri A.S.**  
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL  
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55  
e-mail : [intertekcg.turkiye@intertek.com](mailto:intertekcg.turkiye@intertek.com)  
<http://www.intertek-turkey.com>



Total Quality. Assured.



Test  
TS EN ISO/IEC 17025  
AB-0716-T

## RESULTS

REPORT :TURT200121656\_REVISIED02

Page 2 of 3  
15 October ,2020

Test Method	Results	Requirements
-------------	---------	--------------

### Flame Propagation of Textiles and Films-Test Method 1

NFPA 701:2019

#### Test Specification

Test Method: NFPA 701: 2010 Method 1

Criterion of ignition: 100 mm±10 mm high, methane gas flame applied 45 seconds

Sample Size: 150±5 mm x 400±5 mm

Side Tested: Face

#### Pre-treatment / Durability procedure

None (Because of the customer claimed that the sample has non durable finish)

#### Condition:

Prior to testing:

Conditioned for 30 minutes in an oven having a temperature 105±3 °C (220±5 °F)

Time of burning material that falls to the bottom of the test chamber (s)	Afterflame time of the specimen (s)	Weight before exposure (g)	Weight after exposure (g)	% Weight Loss	Observations on material
---	-------------------------------------	----------------------------	---------------------------	---------------	--------------------------

Specimen 1	0	0	20.47	20.40	0.3%	-
Specimen 2	0	0	21.02	19.7	6.3%	-
Specimen 3	0	0	21.34	20.85	2.3%	-
Specimen 4	0	0	20.76	20.67	0.4%	-
Specimen 5	0	0	21.05	21.02	0.1%	-
Specimen 6	0	0	20.98	20.89	0.4%	-
Specimen 7	0	0	20.92	20.89	0.1%	-
Specimen 8	0	0	20.98	20.8	0.9%	-
Specimen 9	0	0	21.01	20.99	0.1%	-
Specimen 10	0	0	20.87	20.78	0.4%	-
Average	0	0	20.94	20.70	1.15%	-
Standard Deviation (S)	-	-	-	-	1.92%	-
Average+3S	-	-	-	-	6.9%	-

#### Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone : +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail : interteckg.turkiye@intertek.com

<http://www.intertek-turkey.com>

# AMBIENT RENEW

COMMERCIAL PVC FREE



TEXSTYLE



RESULTS

REPORT :TURT200121656\_REVISED02

Page 3 of 3

15 October ,2020



## END OF TEST REPORT ##

**Intertek Test Hizmetleri A.S.**

*Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL*

*Phone : +90 212 496 46 46 Fax: +90 212 452 80 55*

*e-mail : [intertekg.turkiye@intertek.com](mailto:intertekg.turkiye@intertek.com)*

*<http://www.intertek-turkey.com>*