



Ripplefold Specification	
Fullness Options	60%, 80%, 100%, 100%
Liner Options (White Color Only Supplied by SBM)	Unlined, Privacy, Blackout
Stacking	One Way Right, One Way Left, Split
Master Carrier Options	Butt master or Overlap
Side Hems	1.5" Blind Stitched
Bottom Hem Options	4" Blinds Stitched (Sheer or Lined) Euro Hem (Sheer Only)
Header Options	Standard Tape 1.5" Header
Minimum Width*	25"
Maximum Width*	300"
Minimum Height*	60"
Maximum height*	216"
Weights	Sheer – lead string inside of hems for Euro Style Sheer, Non-sheer – square weights in corners for 4" Bottom Hem Style
Returns	Standard is 3 ½" unless otherwise specified
Seam Exposure	Ripplefold draperies made in multiple widths may have visible seams. Workroom may railroad fabric to avoid seams where possible.

	FULLNESS	APPEARANCE OF	WHEELED CARRIER SPACING
↑ FULLEST	120%	2.5 x Fullness	1 7/8"
	100%	2 x Fullness	2 1/8"
	80%	1.8 x Fullness	2 3/8"
	60%	1.6 x Fullness	2 5/8"

Butt Master



Overlap Master



* inquire for out of spec possibilities


If customers provides their own tracks for ripplefold workroom needs to have carrier count for the drapery to mach.



4" Bottom Hem (Sheer and Lined)



Euro Hem (Sheer Only)



Ripplefold Tape



Blind Stitched Side Hem

Ripplefold is an ultra-contemporary style of traversing drapery panels with a distinctive S-curve ripple effect. The ripples are created by the chosen carriers corded together to create that consistent wave varying from 60%, 80%, 100% and 120% fullness.

Account Name

Fax

Required Date

Customer P.O.#

Ship To

Address

City/State/ZIP

Phone

Ship Via

Delivery

Attention

Fax

Pick Up

Carrier

Line No.	Room Tag	QTY	Width Measure to 1/4"	Finished Length Measure to 1/4"	Fabric Supplier	Fabric Name	Fabric Color	Fullness		Stack	Carrier Style	Return Size	Lining	Hem Style	SBM Tracks
1								60% 80%	100% 120%	Split Right Left	Buttmaster Overlap	Standard Custom	Unlined Premim Blackout	4" Euro	Yes No
Notes:															
2								60% 80%	100% 120%	Split Right Left	Buttmaster Overlap	Standard Custom	Unlined Premim Blackout	4" Euro	Yes No
Notes:															
3								60% 80%	100% 120%	Split Right Left	Buttmaster Overlap	Standard Custom	Unlined Premim Blackout	4" Euro	Yes No
Notes:															
4								60% 80%	100% 120%	Split Right Left	Buttmaster Overlap	Standard Custom	Unlined Premim Blackout	4" Euro	Yes No
Notes:															
5								60% 80%	100% 120%	Split Right Left	Buttmaster Overlap	Standard Custom	Unlined Premim Blackout	4" Euro	Yes No
Notes:															

If customers provides their own tracks for ripplefold workroom needs to have carrier count for the drapery to machth.

This order is custom made and cannot be changed or cancel once goods are cut.
Track and off floor deduction will be made, customer needs to provide finished length.

Ripplefold™ for Butt Master

To help determine which system is right for your project, use the guideline below to select the best fit.

FULL SPACES REQUIRED	FABRIC WIDTH HEMMED	*NUMBER OF CARRIERS	PANEL COVERAGE: 120% FULLNESS	PANEL COVERAGE: 100% FULLNESS	PANEL COVERAGE: 80% FULLNESS	PANEL COVERAGE: 60% FULLNESS	STACKBACK ONE WAY	STACKBACK TWO WAY (per side)
7	29.75	8	15.00	17.00	19.00	21.00	8.75	6.25
9	38.25	10	18.75	21.25	23.75	26.25	10	6.75
11	46.75	12	22.50	25.50	28.50	31.50	11	7.25
13	55.25	14	26.25	29.75	33.25	36.75	12	7.75
15	63.75	16	30.00	34.00	38.00	42.00	13	8.25
17	72.25	18	33.75	38.25	42.75	47.25	14.25	9
19	80.75	20	37.50	42.50	47.50	52.50	15.25	9.5
21	89.25	22	41.25	46.75	52.25	57.75	16.5	10
23	97.75	24	45.00	51.00	57.00	63.00	17.5	10.5
25	106.25	26	48.75	55.25	61.75	68.25	18.5	11
27	114.75	28	52.50	59.50	66.50	73.50	19.5	11.5
29	123.25	30	56.25	63.75	71.25	78.75	20.75	12
31	131.75	32	60.00	68.00	76.00	84.00	21.75	12.5
33	140.25	34	63.75	72.25	80.75	89.25	23	13.25
35	148.75	36	67.50	76.50	85.50	94.50	24	13.75
37	157.25	38	71.25	80.75	90.25	99.75	25	14.25
39	165.75	40	75.00	85.00	95.00	105.00	26	14.75
41	174.25	42	78.75	89.25	99.75	110.25	27.25	15.25
43	182.75	44	82.50	93.50	104.50	115.50	28.25	16
45	191.25	46	86.25	97.75	109.25	120.75	29.25	16.5
47	199.75	48	90.00	102.00	114.00	126.00	30.5	17
49	208.25	50	93.75	106.25	118.75	131.25	31.5	17.5
51	216.75	52	97.50	110.50	123.50	136.50	32.5	18
53	225.25	54	101.25	114.75	128.25	141.75	33.75	18.5
55	233.75	56	105.00	119.00	133.00	147.00	34.75	19
57	242.25	58	108.75	123.25	137.75	152.25	35.75	19.75
59	250.75	60	112.50	127.50	142.50	157.50	37	20.25
61	259.25	62	116.25	131.75	147.25	162.75	38	20.75
63	267.75	64	120.00	136.00	152.00	168.00	39	21.25
65	276.25	66	123.75	140.25	156.75	173.25	40	21.75
67	284.75	68	127.50	144.50	161.50	178.50	41.25	22.5
69	239.25	70	131.25	148.75	166.25	183.75	42.25	23
71	301.75	72	135.00	153.00	171.00	189.00	43.5	23.5
73	310.25	74	138.75	157.25	175.75	194.25	44.5	24
75	318.75	76	142.50	161.50	180.50	199.50	45.5	24.5
77	327.25	78	146.25	165.75	185.25	204.75	46.5	25

Includes one carrier (button position only) for attachment to master.

FULL SPACES REQUIRED	FABRIC WIDTH HEMMED	*NUMBER OF CARRIERS	PANEL COVERAGE: 120% FULLNESS	PANEL COVERAGE: 100% FULLNESS	PANEL COVERAGE: 80% FULLNESS	PANEL COVERAGE: 60% FULLNESS	STACKBACK ONE WAY	STACKBACK TWO WAY (per side)
79	335.75	80	150.00	170.00	190.00	210.00	47.75	25.5
81	344.25	82	153.75	174.25	194.75	215.25	48.75	26
83	352.75	84	157.50	178.50	199.50	220.50	50	26.75
85	361.25	86	161.25	182.75	204.25	225.75	51	27.25
87	369.75	88	165.00	187.00	209.00	231.00	52	27.75
89	378.25	90	168.75	191.25	213.75	236.25	53	28.25
91	386.75	92	172.50	195.50	218.50	241.50	54.25	28.75
93	395.25	94	176.25	199.75	223.25	246.75	55.25	29.5
95	403.75	96	180.00	204.00	228.00	252.00	56.25	30
97	412.25	98	183.75	208.25	232.75	257.25	57.5	30.5
99	420.75	100	187.50	212.50	237.50	262.50	58.5	31
101	429.25	102	191.25	216.75	242.25	267.75	59.5	31.5
103	437.75	104	195.00	221.00	247.00	273.00	60.75	32
105	446.25	106	198.75	225.25	251.75	278.25	61.75	32.5
107	454.75	108	202.50	229.50	256.50	283.50	62.75	33.25
109	463.25	110	206.25	233.75	261.25	288.75	64	33.75
111	471.75	112	210.00	238.00	266.00	294.00	65	34.25
113	480.25	114	213.75	242.25	270.75	299.25	66	34.75
115	488.75	116	217.50	246.50	275.50	304.50	67	35.25
117	497.25	118	221.25	250.75	280.25	309.75	68.25	36
119	505.75	120	225.00	255.00	285.00	315.00	69.25	36.5
121	514.25	122	228.75	259.25	289.75	320.25	70.5	37
123	522.75	124	232.50	263.50	294.50	325.50	71.5	37.5
125	531.25	126	236.25	267.75	299.25	330.75	72.5	38
127	539.75	128	240.00	272.00	304.00	336.00	73.5	38.5
129	548.25	130	243.75	276.25	308.75	341.25	74.75	39
131	556.75	132	247.50	280.50	313.50	346.50	75.75	39.5
133	565.25	134	251.25	284.75	318.25	351.75	77	40.25
135	573.75	136	255.00	289.00	323.00	357.00	78	40.75
137	582.25	138	258.75	293.25	327.75	362.25	79	41.25
139	590.75	140	262.50	297.50	332.50	367.50	80	41.75
141	599.25	142	266.25	301.75	337.25	372.75	81.25	42.25
143	607.75	144	270.00	306.00	342.00	378.00	82.25	43
145	616.25	146	273.75	310.25	346.75	383.25	83.25	43.5
147	624.25	148	277.50	314.50	351.50	388.50	84.5	44
149	633.25	150	281.25	318.75	356.25	393.75	85.5	44.5

Includes one carrier (button position only) for attachment to master.

Ripplefold™ for Overlap Master

To help determine which system is right for your project, use the guideline below to select the best fit.

FULL SPACES REQUIRED	FABRIC WIDTH HEMMED	*NUMBER OF CARRIERS	PANEL COVERAGE: 120% FULLNESS	PANEL COVERAGE: 100% FULLNESS	PANEL COVERAGE: 80% FULLNESS	PANEL COVERAGE: 60% FULLNESS	STACKBACK ONE WAY	STACKBACK TWO WAY (per side)
7	35.75	8	15.00	17.00	19.00	21.00	10.75	8.75
9	44.25	10	18.75	21.25	23.75	26.25	12	9.25
11	52.75	12	22.50	25.50	28.50	31.50	13	9.75
13	61.25	14	26.25	29.75	33.25	36.75	14	10.25
15	69.75	16	30.00	34.00	38.00	42.00	15	10.75
17	78.25	18	33.75	38.25	42.75	47.25	16.25	11.5
19	86.75	20	37.50	42.50	47.50	52.50	17.25	12
21	95.25	22	41.25	46.75	52.25	57.75	18.5	12.5
23	103.75	24	45.00	51.00	57.00	63.00	19.5	13
25	112.25	26	48.75	55.25	61.75	68.25	20.5	13.5
27	120.75	28	52.50	59.50	66.50	73.50	21.5	14
29	129.25	30	56.25	63.75	71.25	78.75	22.75	14.5
31	137.75	32	60.00	68.00	76.00	84.00	23.75	15
33	146.25	34	63.75	72.25	80.75	89.25	25	15.75
35	154.75	36	67.50	76.50	85.50	94.50	26	16.25
37	163.25	38	71.25	80.75	90.25	99.75	27	16.75
39	171.75	40	75.00	85.00	95.00	105.00	28	17.25
41	180.25	42	78.75	89.25	99.75	110.25	29.25	17.75
43	188.75	44	82.50	93.50	104.50	115.50	30.25	18.5
45	197.25	46	86.25	97.75	109.25	120.75	31.25	19
47	205.75	48	90.00	102.00	114.00	126.00	32.5	19.5
49	214.25	50	93.75	106.25	118.75	131.25	33.5	20
51	222.75	52	97.50	110.50	123.50	136.50	34.5	20.5
53	231.25	54	101.25	114.75	128.25	141.75	35.75	21
55	239.75	56	105.00	119.00	133.00	147.00	36.75	21.5
57	248.25	58	108.75	123.25	137.75	152.25	37.75	22.25
59	256.75	60	112.50	127.50	142.50	157.50	39	22.75
61	265.25	62	116.25	131.75	147.25	162.75	40	23.25
63	273.75	64	120.00	136.00	152.00	168.00	41	23.75
65	282.25	66	123.75	140.25	156.75	173.25	42	24.25
67	290.75	68	127.50	144.50	161.50	178.50	43.25	25
69	299.25	70	131.25	148.75	166.25	183.75	44.25	25.5
71	307.75	72	135.00	153.00	171.00	189.00	45.5	26
73	316.25	74	138.75	157.25	175.75	194.25	46.5	26.5
75	324.75	76	142.50	161.50	180.50	199.50	47.5	27
77	333.25	78	146.25	165.75	185.25	204.75	48.5	27.5

Includes one carrier (button position only) for attachment to master.

FULL SPACES REQUIRED	FABRIC WIDTH HEMMED	NUMBER OF CARRIERS	PANEL COVERAGE: 120% FULLNESS	PANEL COVERAGE: 100% FULLNESS	PANEL COVERAGE: 80% FULLNESS	PANEL COVERAGE: 60% FULLNESS	STACKBACK ONE WAY	STACKBACK TWO WAY (per side)
79	341.75	80	150.00	170.00	190.00	210.00	49.75	28
81	350.25	82	153.75	174.25	194.75	215.25	50.75	28.5
83	358.75	84	157.50	178.50	199.50	220.50	52	29.25
85	367.25	86	161.25	182.75	204.25	225.75	53	29.75
87	375.75	88	165.00	187.00	209.00	231.00	54	30.25
89	384.25	90	168.75	191.25	213.75	236.25	55	30.75
91	392.75	92	172.50	195.50	218.50	241.50	56.25	31.25
93	401.25	94	176.25	199.75	223.25	246.75	57.25	32
95	409.75	96	180.00	204.00	228.00	252.00	58.25	32.5
97	418.25	98	183.75	208.25	232.75	257.25	59.5	33
99	426.75	100	187.50	212.50	237.50	262.50	60.5	33.5
101	435.25	102	191.25	216.75	242.25	267.75	61.5	34
103	443.75	104	195.00	221.00	247.00	273.00	62.75	34.5
105	452.25	106	198.75	225.25	251.75	278.25	63.75	35
107	460.75	108	202.50	229.50	256.50	283.50	64.75	35.75
109	469.25	110	206.25	233.75	261.25	288.75	66	36.25
111	477.75	112	210.00	238.00	266.00	294.00	67	36.75
113	486.25	114	213.75	242.25	270.75	299.25	68	37.25
115	494.75	116	217.50	246.50	275.50	304.50	69	37.75
117	503.25	118	221.25	250.75	280.25	309.75	70.25	38.5
119	511.75	120	225.00	255.00	285.00	315.00	71.25	39
121	520.25	122	228.75	259.25	289.75	320.25	72.5	39.5
123	528.75	124	232.50	263.50	294.50	325.50	73.5	40
125	537.25	126	236.25	267.75	299.25	330.75	74.5	40.5
127	545.75	128	240.00	272.00	304.00	336.00	75.5	41
129	554.25	130	243.75	276.25	308.75	341.25	76.75	41.5
131	562.75	132	247.50	280.50	313.50	346.50	77.75	42
133	571.25	134	251.25	284.75	318.25	351.75	79	42.75
135	579.75	136	255.00	289.00	323.00	357.00	80	43.25
137	588.25	138	258.75	293.25	327.75	362.25	81	43.75
139	596.75	140	262.50	297.50	332.50	367.50	82	44.25
141	605.25	142	266.25	301.75	337.25	372.75	83.25	44.75
143	613.75	144	270.00	306.00	342.00	378.00	84.25	45.5
145	622.25	146	273.75	310.25	346.75	383.25	85.25	46
147	630.75	148	277.50	314.50	351.50	388.50	86.5	46.5
149	639.25	150	281.25	318.75	356.25	393.75	87.5	47

Includes one carrier (button position only) for attachment to master.