

EnviroScreen by Verosol

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31761

CLASSIFICATION: 12 21 00 Window Blinds

PRODUCT DESCRIPTION: EnviroScreen 802 is a metallized polyester screen for roller blinds / roller shades. Cradle to Cradle certified. Combines a high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-emissivity coating. Made out of polyester yarns with a textile appearance. Flame Retardant. High environmental standard. Recyclable.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting

Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
- Not Completed

Explanation(s) provided :

- Yes No

For all contents above the threshold, the manufacturer has:

Characterized

- Yes No

Provided weight and role.

Screened

- Yes No

Provided screening results using HPDC-approved methods.

Identified

- Yes No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[PRODUCT](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

ENVIROSCREEN [**POLYESTER FIBERS** NoGS **POLYURETHANE** **LT-P1** | **EYE** | **MAM** | **AQU** **UNDISCLOSED** NoGS **ALUMINUM (PRIMARY CASRN IS 7429-90-5)** **BM-1** | **END** | **MAM** | **PHY**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Environmental friendly Blind / Shading fabric based on woven polyester with a reflective aluminum coating. EnviroScreen is compliant to Cradle to Cradle Bronze v3, REACH, Oeko-tex 100 class IV, Greenguard Gold, ISO14001 and RoHS2. PVC-free, phthalate-free, halogen-free, free of bromine based and antimony trioxide based flame retardants, biocides-free. Remark: EnviroScreen types 803 and 804 are similar to EnviroScreen 802 but without the reflective aluminium coating. Type 803 is coloured on 1 side. Type 804 is coloured on 2 sides.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: C2CPII Material Health Certificate - Bronze (V3.1)

Multi-attribute: OEKO-TEX Standard 100

Management: ISO 14001:2004 Environmental management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared


VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-03-15

PUBLISHED DATE: 2023-03-15

EXPIRY DATE: 2026-03-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ENVIROSCREEN

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database. This is a database of peer-reviewed scientific work. Residuals and impurities were listed at the substance level if any were noted. The noting of impurities does not conclude that they are present in the product's raw materials. The actual raw materials were not tested therefore the actual presence of impurities is unknown. They are listed in this HPD for reference only.

OTHER PRODUCT NOTES: Type 802: Woven polyester fabric with aluminium reflective coating

Type 803: Similar to type 802, but without aluminium coating

Type 804: Similar to type 802, but without aluminium coating and 2 sides coloured

POLYESTER FIBERS

ID: 80595-68-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-15 1:10:57

%: 95.0000 - 97.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyester filament yarns. Residual and impurities were screened using the toxnet database (<https://toxnet.nlm.nih.gov>). None were noted.


The available data on impurities of PET are from studies using bottles and food containers made up of PET and PET copolymers. Under different experimental conditions, ethylene glycol and other monomers/processing aids have been detected. In most cases, the number of impurities detected was greatest in cases of short time exposures and the level decreased with time. Whether the impurities broke down or were reabsorbed was not addressed. Heat increases the amount of antimony (catalyst) that leaches into the contents of bottles and food packages. In all cases, the amount is small.

POLYURETHANE

ID: 64440-88-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-15 1:10:58

%: 1.0000 - 5.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder



HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Polyurethane Dispersion. Residual and impurities were screened using the toxnet database (<https://toxnet.nlm.nih.gov>). None were noted.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 1:10:58**

#: **1.0000 - 5.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Flame Retardants

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database. None were noted.

ALUMINUM (PRIMARY CASRN IS 7429-90-5)


ID: **477951-22-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-03-15 1:10:59**

#: **0.1000 - 0.2000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Reflectance**


ENVIROSCREEN

HIGH PERFORMANCE FABRICS



TEXTSTYLE

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable solids category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
<p>SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. This high purity aluminum is free of impurities to .01%.</p> <p>Adhesion according to ISO 2409 classification 0 (no detachment of coating).</p> <p>Residuals and impurities were screened using the toxnet database. All impurities are noted.</p>		



Section 3: Certifications and Compliance


This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2008-09-15	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://spot.ul.com/		
CERTIFICATION AND COMPLIANCE NOTES: Certificate 5450-420. This certificate is annually prolonged in August.		
MULTI-ATTRIBUTE	C2CPH Material Health Certificate - Bronze (V3.1)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-10-05	CERTIFIER OR LAB: EIG
APPLICABLE FACILITIES: All	EXPIRY DATE: 2023-12-03	
CERTIFICATE URL: https://www.c2ccertified.org/		
CERTIFICATION AND COMPLIANCE NOTES: EnviroScreen is Cradle to Cradle v.3 Certified Bronze. Certification number 5376.		
MULTI-ATTRIBUTE	OEKO-TEX Standard 100	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2008-03-31	CERTIFIER OR LAB: Hohenstein
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://www.oeko-tex.com		
CERTIFICATION AND COMPLIANCE NOTES: OEKO-TEX Standard 100 Class IV Certificate 15.HNL.57853. This certificate is annually prolonged in March.		
MANAGEMENT	ISO 14001:2004 Environmental management systems	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-02-01	CERTIFIER OR LAB: TUV
APPLICABLE FACILITIES: All	EXPIRY DATE:	Rheinland
CERTIFICATE URL: https://www.tuv.com		
CERTIFICATION AND COMPLIANCE NOTES: This certificate is annually prolonged in February.		
MULTI-ATTRIBUTE	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-12-19	CERTIFIER OR LAB: none
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://echa.europa.eu/		
CERTIFICATION AND COMPLIANCE NOTES:		
MULTI-ATTRIBUTE	ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-12-19	CERTIFIER OR LAB: none
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ENVIROSCREEN
 MANUFACTURER (OR GENERIC): **Kvadrat Shade**



HPD URL: <https://www.kvadrat.dk/en/kvadrat-shade>


ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Maintenance: Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at the lowest position.

Section 5: General Notes

EnviroScreen 802 distinguishes itself from competitor products:

- The greener choice: free from PVC, plasticizers, halogens, biocides and toxic flame retardants.
- Cradle 2 Cradle and other environmental certifications
- High solar reflectance thanks to the metal coating
- Low-E coating as heat barrier
- Visual comfort and one-way view through
- High energy saving potential by reducing solar heat gain
- FR meets the highest fire safety standards
- EnviroScreen types 803 and 804 are without the reflecting metal coating



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Verosol**
ADDRESS: **Verosol**
Kiefte 18
Eibergen Gelderland 7151HZ, Netherlands
WEBSITE: www.kvadrat.dk/en/kvadrat-shade

CONTACT NAME: **Robert Kuipers**
TITLE: **manager R&D**
PHONE: **+31545463333**
EMAIL: r.kuipers@kvadratshade.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

ENVIROSCREEN

HIGH PERFORMANCE FABRICS



TEXSTYLE

HPD and for compliance with the HPD standard noted.