


SBM Skyline Roller Shade System

Rev. 07.24.26

One platform — manual, battery, or fully networked — engineered with Automate® by Rollease Acmeda and Somfy®.

A contract-grade roller shade on one universal-bracket platform, so you can quote manual, spring-assisted, or motorized shades from the same hardware — and scale control from a single battery motor up to a building-wide intelligent network. **Day/night dual shades, quiet operation, and finishing from a clean fascia to a fully recessed ceiling pocket** — fabricated and supported in the USA by Shades by Matiss.



BUILT TO OPERATE ANY WAY

Chain Clutch

Hooked clutches, spring-loaded pin ends — fast, forgiving installs. SL10-SL30 & geared G200/G400 for shades small to oversized.

Spring-Assist

SL15/SL20 booster cuts lift effort up to 40% on large or linked shades — a lighter, cordless-friendly option.


Motor-Ready

The same shade takes battery, wired, digital-network, or PoE motors — a full control range on page 2.

WHY DEALERS SPEC IT

- **Universal brackets.** One bracket takes pin-end and control; push in and go.
- **–40% lift effort.** Spring-assist booster for heavy and linked shades.
- **Day/night dual shades.** Sheer + blackout on one universal double bracket.
- **Backed.** Limited Lifetime hardware warranty; 5-year motor.
- **Child-safe by design.** Chain guard and cordless/motorized options.
- **Retrofit-friendly.** Swap a chain shade to a battery motor without new hardware.
- **Scales with the job.** Same shade, control from one room to a whole building.
- **Finish range.** Black, white, zinc/gray, vanilla, satin nickel, antique bronze.

MANUAL SYSTEM ATTACHMENTS & FINISHES



Also available: side channels & wire guides for light control, chain tensioners and hold-downs for safety and tension, easy-link couplers for banks of shades, and a full hem-bar range (slat, internal, external, D30, Opulence, bottom-up). Cassette, fascia, and fully recessed pocket enclosures are covered on the enclosures page.

One Partner for All Shading Solutions.

O. (800) 493-2040 | F. (800) 414-1042 | info@shadesbymatiss.com | www.shadesbymatiss.com — New Jersey (NY metro) · Chicago · Los Angeles

Control & automation — from one shade to a whole building

SBM supplies and supports the full control range on the same Skyline shade. **Pick by project scale and how it needs to integrate** — every step up keeps the shade hardware the same.

- 1 Manual — Clutch & Spring-Assist** **ROOM**
Chain clutch or cordless spring-assist (–40% effort). **Best for:** any manual shade; child-safe public areas.
- 2 Automate® Pulse — Arc Pro Li-ion (battery, RF)** **ROOM → FLOOR**
Rechargeable, wire-free motor (USB-C, solar, or wall); concealed wiring, soft-stop, true retrofit. Rooms, scenes, sunrise/sunset timers and voice via the Automate Pulse Pro app. **Best for:** residential & light commercial; fast retrofits with no new wiring.
- 3 Automate® ARC Serial — wired AC** **FLOOR**
Digital-limit AC motors on Automate's bi-directional ARC network, with a multi-motor (up to 4) controller and RJ45 wall keypads for clean, hard-wired zone control and feedback. **Best for:** small-to-mid commercial wanting permanent wall control and grouping.
- 4 Somfy® SDN — Digital Network** **FLOOR → BUILDING**
RS485 addressable daisy-chain of Sonesse motors (line-voltage and 24V DC low-voltage) with precise intermediate positions and feedback. DecoFlex SDN keypads, SDN Data Hub / PowerConnect panels, and a Somfy Connect™ BMS Interface. **Best for:** mid-to-large commercial with zoned control and BMS.
- 5 Somfy® Sonesse PoE — Power over Ethernet** **NETWORKED**
Sonesse 30/40 PoE motors carry power *and* data over one Cat cable — IT-managed, no separate electrical runs, no batteries. SDN PoE Gateway and the Synergy™ API tie into Crestron, Control4, and building platforms. **Best for:** networked commercial and IT-driven clients (data centers, corporate).
- 6 Somfy® animeo — Intelligent Building Control** **WHOLE BUILDING**
Automated façade and solar management — sun tracking, weather sensors, and per-zone shadow control across the building. animeo Solo (to 800 motors), IP/RS485, and KNX, with BACnet/KNX/BMS integration. **Best for:** enterprise façades and whole-building energy strategies.

All one partner. SBM sources, fabricates, and supports the shade and the control system together — so a project can start manual and grow to a networked or building-wide system without changing the Skyline shade.

Enclosures & finishing systems

How the shade meets the architecture — from a clean fascia, to a fully-enclosed cassette, to a **recessed ceiling pocket that hides the shade entirely**. The pocket program is where SBM does its best architectural work.

Cassette 110


Fully-enclosed four-sided headbox that conceals the roll and hardware — sized to tube and fabric; square or radius end caps; color-matched or optional fabric-front. Ceiling or wall mount.

Fascia

Clean front cover on the bracket that hides the roll from the room. Heights to match tube size, square contemporary profile, color-matched aluminum or optional fabric-wrap, and single or dual (day/night) configurations.

Recessed Pocket System

FULL-RECESS ARCHITECTURAL SOLUTION



Ceiling-mount recessed pocket, AC motor — installation detail
(Rollease Acmeda / Automate)

POCKET SIZE	TYPE	TYPICAL USE
4" × 4"	Single	Compact reveals
5" × 5"	Single	Standard rooms
6" × 6"	Single	Larger shades
7" × 9"	Dual	Sheer + blackout
7" × 11"	Dual	Tall / oversized dual

Optional flap

Hanger / clip enclosure

Tile support — all pockets

Closures: 2", 2½", 3", 4", and 5" — with end caps — for a full, clean recess to the window. Dual pockets carry two shades (e.g. sheer + blackout) for day/night on one opening.

Why it matters. A recessed pocket makes the shade disappear into the ceiling — the detail architects and designers ask for on premium interiors. Every pocket takes any Skyline control, manual through motorized, so the look stays clean whatever the drive.

■ SPECIFY THE SHADE

COMPONENT	OPTIONS
Brackets — Single	LX (open roll & cassette), Standard (SLB) , Narrow (SLNB) , Opulence (bearings, magnetic covers). Ceiling / face / wall.
Brackets — Double	Vertical, V-Slim, Slim, Universal (38 / 48 mm) for day/night dual shades .
Tubes	Aluminum — 1", 1-1/8", 1-1/4", 1-1/2", 2", 2-1/2", 3-1/4" — sized to width & drop.
Hem bars	Slat, Internal, External, D30 Bottom Rail (bubble seal / fabric brush / ballast), Opulence, Bottom-Up.
Enclosures	Fascia; Cassette 110; Recessed pocket 4×4 to 7×11 dual with 2"-5" closures.
Fabric	SBM fabric library — solar screen, light-filtering, blackout; dual sheer-plus-blackout.

■ CHOOSE THE CONTROL SYSTEM

SYSTEM	POWER	WALL CONTROL	INTEGRATION	SCALE
Manual clutch / spring	—	Chain / cordless	—	Room
Arc Pro Li-ion	Battery (USB-C / solar)	RF remote / keypad	Pulse Pro app, voice	Room-Floor
Automate ARC serial	AC (wired)	RJ45 keypad	ARC bi-directional; dry contact	Floor
Somfy SDN	Line & low-voltage	DecoFlex SDN keypad	RS485; Somfy Connect BMS	Floor-Building
Somfy Sonesse PoE	PoE (Cat cable)	Keypad / app	Synergy API; Crestron / Control4	Networked
Somfy animeo	AC / networked	Zones + sensors	KNX / BACnet / BMS	Whole building

■ THE WIDER SHADES BY MATISS RANGE

Arcadia Contract™

Our flagship contract system — a cleaner, more repeatable bracket-and-motor mounting approach that simplifies motorized commercial shade installations at scale.

Exterior shading

Exterior solar screens and zip-guided systems that stop heat and glare outside the glass — for high-sun façades, atriums, and large spans.

Also from SBM: drapery & track systems, specialty geometries, and full motorization & integration support. **One partner for the whole shading scope.**

For the spec team. Submittals, shop drawings, and detail files (various formats) available on request; motorized systems integrate with Crestron, Control4, KNX, and BACnet. Pairs with our **Sustainability & LEED** sheet. Engineered with Automate® by Rollease Acmeda and Somfy®; fabricated and supported in the USA.

One Partner for All Shading Solutions.

O. (800) 493-2040 | F. (800) 414-1042 | info@shadesbymatiss.com | www.shadesbymatiss.com — 1148 US Highway 22, Mountainside, NJ 07092, USA