



2020

FAUX WOOD BLINDS COLLECTION



WHAT'S NEW

- Refreshed color palette includes on-trend whites, neutrals & wood tones
- Premium Grain, an exquisite decorative collection, features a beautiful wood grain print
- Cordless lift & wand tilt options now available on 2-1/2" slats
- Improved fabrication of LightsOut routeless slats option to reduce slat displacement
- Spliced valance available up to 168"
- Updated solid cloth tape colors



FEATURES & BENEFITS

- Durable engineered material that won't crack, chip, or peel.
- Offered in a wide selection of whites, neutrals & wood tones, including the rich colors and wood grain patterns of the Premium Grain collection.
- Whites, Neutrals & Woodtones available in 2" and 2-1/2" slat styles, Premium Grain available in 2" slats.
- Come standard with a 3" decorative valance and trapezoid bottomrail. Contemporary Crescent valance is optional.
- Heavy-duty slim design headrail & crash-proof cordlock that provide smooth, reliable operation.
- Decorative tassels and lift cord with a unique Stop Ball that breaks apart under pressure to help protect children and pets.
- A wide selection of solid and decorative tapes that add a stylish accent.
- Optional LightsOut routeless feature that blocks additional light and enhances privacy.
- Available with upgraded operating systems including Cordless Lift & Lock™, Cordless Lift, & RemoteTilt™ for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt.



TERMS OF SALE & FREIGHT / REPAIR CHARGES

PRICE QUOTATION

All Faux Wood Collection products are priced FOB San Diego, CA and do not include freight.

All prices subject to change without notice.

To ensure order accuracy, please use the Faux Wood Collection order form. The blank order form can be found at the back of the price book. Make copies to create additional blank order forms.

EMAIL ORDERS

Dealers are able to download our order form from www.turnils.com, complete the order form, and submit it to: atl.orders@turnils.com.

CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

LEAD TIME

Typically, orders (less than 15 units) are manufactured and shipped within 5 business days. All orders are subject to inventory availability. Orders placed after 3:30 p.m. EST are considered as next day business.

ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with Turnils. To track your order or check the status of your order, please contact customer service and provide them with the work order number.

STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$6.00 for each blind

\$12.00 minimum charge per shipment

Oversize (96" or above) \$95.00 up to 3 pieces

For express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately. Freight collect orders and using a preferred carrier is optional.

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify Turnils customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.



COLOR CHART

2" FAUX WOOD

WHITES & NEUTRALS	COLOR #
PEBBLE	428
EGGSHELL	404
ALABASTER	452
PEARL	403
GRANITE	426
SNOW WHITE	401
TEXTURED PEARL	E503
TEXTURED SNOW WHITE	E501
CLOUD	451

WOOD TONES	COLOR #
TEAK	660
OAK	664
NATURAL	668

2-1/2" FAUX WOOD

WHITES & NEUTRALS	COLOR #
PEBBLE	928
EGGSHELL	904
ALABASTER	952
PEARL	903
GRANITE	926
SNOW WHITE	901
TEXTURED PEARL	E903
TEXTURED SNOW WHITE	E901
CLOUD	951

WOOD TONES	COLOR #
TEAK	960
OAK	964
NATURAL	968

2" PREMIUM WOOD GRAIN

BLACK TEA*	83
MODERN OAK*	80
FROSTED OAK	73
FARMHOUSE GRAY*	79

GRAYSTONE	74
GRAY WASH	78
COFFEE HOUSE*	82
SOREL*	81

* Slat colors are non-Fire Resistant

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications. Constructed of a durable engineered polymer material, faux wood blinds offer long lasting performance. Faux wood material will not crack, chip or fade – perfect for high traffic areas. It is also easy to clean and is moisture resistant for placement in kitchens and bathrooms.


Faux wood blinds are not intended for installation near heat sources such as radiators and heat registers, which can potentially compromise the integrity of the faux wood material, or in locations where temperatures within the window casing will exceed 120° Fahrenheit, including older single pane or aluminum frame windows that conduct and amplify outside heat into the window casing.

Faux wood blinds are certified GOLD for Greenguard Indoor Air Quality, are inherently fire resistant, and are FR Certified NFPA 701.




VALANCES

VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile
Crescent Valance - 3" Profile (optional)



Slat Size/Style	Standard OB Returns
2" Faux Wood Blinds	3"
2-1/2" Faux Wood Blinds	3-3/8"

Note: Outside mount returns are adjusted longer by the factory when short or long (1-3/8" or 3-1/2") extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. **Only the 1st set of ordered spacer blocks** will affect the return length adjustment. Please specify longer **custom return lengths** when ordering if additional spacer blocks will be used.


Note: Inside mount blind valances do not come with returns unless specified on the order.

KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.



Note: the addition of a keystone will not affect the overall width of the valance.

VALANCE / RETURN SPECIFICATIONS

Custom valance widths are available upon request. Maximum widths for valance are as follows:

The maximum Continuous Valance width is 102"

The maximum Spliced Valance width is 168" (See note below).

Custom return lengths are available upon request.

The minimum return length is 1/2"

The maximum return length is 6"

3" Return lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

Short Extension Brackets = 4-1/4"


Small Spacer Blocks (1st Set) = 3-3/8"

Long Extension Brackets = 6-1/4"

Large Spacer Blocks (1st Set) = 3-3/4"

Note: Valances over 102" will be spliced in the middle. A decorative keystone will be supplied at no charge to join the sides and conceal the splice.

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:



Note: Valances are cut to measure from the **inside** miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The Cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

			CORDLESS LIFT & LOCK™ BOTTOMRAIL	
WHITES & NEUTRALS	2" COLOR #	2-1/2" COLOR #	COLOR	COLOR #
PEBBLE	428	928	PEARL GRAY	879
EGGSHELL	404	904	ANTIQUE WHITE	973
ALABASTER	452	952	ANTIQUE WHITE	973
PEARL	403	903	ANTIQUE WHITE	973
GRANITE	426	926	GRAY FLANNEL	405
SNOW WHITE	401	901	FLEX WHITE	885
TEXTURED PEARL	E503	E903	ANTIQUE WHITE	973
TEXTURED SNOW WHITE	E901	E901	GLOSS WHITE	110
CLOUD	951	951	PEARL	974
WOOD TONES	2" COLOR #	2-1/2" COLOR #	COLOR	COLOR #
TEAK	660	960	WILD GINGER	463
OAK	664	964	CAMEL	082
NATURAL	668	968	CAMEL	082
PREMIUM GRAIN	2" COLOR #		COLOR	COLOR #
BLACK TEA	83		VENETIAN BRONZE	234
MODERN OAK	80		COCOA	083
FROSTED OAK	73		SMOKEY GRAY	443
FARMHOUSE GRAY	79		BRONZE	064
GRAYSTONE	74		SMOKEY GRAY	443
GRAY WASH	78		PEARL GRAY	879
COFFEE HOUSE	82		SWEET CHOCOLATE	378
SOREL	81		BRONZE	064

Note: Bottomrail colors are pre-selected. Hardware color override is not available. Please refer to the Cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.



SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-1/2" faux wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- Lifetime Guarantee

Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

SOLID TAPES

1" SOLID TAPE	COLOR #	1-1/2" SOLID TAPE	COLOR #
ALABASTER	1113	ALABASTER	8113
BLACK	1899	BLACK	8899
CHOCOLATE	1376	CHOCOLATE	8376
DARK BEIGE	1323	DARK BEIGE	8323
DARK GRAY	1850	DARK GRAY	8850
LIGHT BEIGE	1322	LIGHT BEIGE	8322
LIGHT GRAY	1861	LIGHT GRAY	8861
PECAN	1334	PECAN	8334
STEEL	1867	STEEL	8867
TAUPE	1302	TAUPE	8302
WHITE	1100	WHITE	8100

DECORATIVE TAPES

1-1/8" DECO TAPE	COLOR #	ATTACHED TO	1-1/2" DECO TAPE	COLOR #	ATTACHED TO
GRAY CREAM BAND	5007	ALABASTER	DUBLIN	6200	ALABASTER
GRAY GOLD BAND	5006	ALABASTER	IVORY ACCENT	0911	ALABASTER
1-1/4" DECO TAPE	COLOR #	ATTACHED TO	KNIT FIT	4300	ALABASTER
STONEWASH COCOA	5003	LIGHT BEIGE	WHITE ACCENT	0910	WHITE
STONEWASH ESPRESSO	5005	CHOCOLATE			
STONEWASH GRAY	5002	ALABASTER			
STONEWASH KHAKI	5001	ALABASTER			

Solid and Decorative Tapes are not available with:

LightsOut Routeless Feature

Cordless Lift

Cordless Lift & Lock™



PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# OF COLORS	20	12
HEADRAIL SIZE	1-1/2" X 2-1/4"	1-1/2" X 2-1/4"
HEADRAIL GAUGE	.024	.024
BRACKET STYLE	BOX	BOX
BOTTOMRAIL - STANDARD/CORDLESS	TRAPEZOID	TRAPEZOID
BOTTOMRAIL - CORDLESS LIFT & LOCK	ALUMINUM BOTTOMRAIL MADE IN 1 OF 18 COLORS - SEE LISTING ON PAGE 12 FOR COLOR NAME & WOOD/FAUX WOOD BOTTOMRAIL COLOR GUIDE FOR COLOR SAMPLE	
LADDER SPACE	44MM	54MM
CORD TILTER	YES	YES
- NOT AVAILABLE WITH REMOTETILT™ OPTION		
CRESCENT VALANCE	YES - 3"	YES - 3"
DECORATIVE VALANCE	YES - 3"	YES - 3"
VALANCE RETURN LENGTHS (STANDARD FOR OUTSIDE MOUNTS)	3"	3-3/8"
ADJUSTABLE VALANCE ATTACHMENT SYSTEM	YES	YES
DECORATIVE TASSEL	YES	YES
HEADRAIL END STIFFENER	YES	YES
BREAK-AWAY STOP BALL	YES	YES
AME RESISTANT – NFPA #701	YES	YES
OPTIONS AND UPGRADES	2"	2-1/2"
CORDLESS LIFT	YES	YES
- NOT AVAILABLE WITH TAPES		
- NOT AVAILABLE WITH LIGHTSOUT ROUTELESS FEATURE		
CORDLESS LIFT & LOCK™	YES	YES
- NOT AVAILABLE WITH TAPES		
- NOT AVAILABLE WITH LIGHTSOUT ROUTELESS FEATURE		
REMOTETILT SYSTEM*	YES	YES
- NOT AVAILABLE WITH CORDLESS LIFT & LOCK™		
LIGHTSOUT ROUTELESS SLATS**	YES	YES
- NOT AVAILABLE WITH TAPES		
- NOT AVAILABLE WITH CORDLESS LIFT		
- NOT AVAILABLE WITH CORDLESS LIFT & LOCK™		
2 OR 3 ON 1 HEADRAIL***	YES	YES
- 2-ON-1 OR 3-ON-1 HEADRAIL NOT AVAILABLE WITH CORDLESS LIFT		
- 3-ON-1 HEADRAIL NOT AVAILABLE WITH CORDLESS LIFT & LOCK™		
TAPES**** (NOT AVAILABLE WITH LIGHTSOUT FEATURE)	YES	YES
- NOT AVAILABLE WITH CORDLESS LIFT		
- NOT AVAILABLE WITH CORDLESS LIFT & LOCK™		
- NOT AVAILABLE WITH LIGHTSOUT ROUTELESS FEATURE		
TAPE VALANCE – STANDARD DECORATIVE VALANCE ONLY	YES	YES
CRESCENT VALANCE OPTION*****	YES	YES
KEYSTONE VALANCE OPTION	YES	YES
CONTROL/MOUNTING OPTIONS	2"	2-1/2"
WAND	YES	YES
WAND/CORD – CUSTOM LENGTHS	YES	YES (CORD ONLY)
CONTROL POSITIONS	LR, RL OR GROUPED	LR, RL OR GROUPED
LIFT CONTROL POSITION – CORDLESS	LEFT TILT ONLY	LEFT TILT ONLY
LIFT CONTROL POSITION – CORDLESS LIFT & LOCK™	L OR R UNDER 12-1/2" NET - CENTER TILT ONLY	L OR R UNDER 12-1/2" NET - CENTER TILT ONLY
LIFT CONTROL POSITION – REMOTETILT™	L OR R	L OR R
TILE CUT-OUT(S)	YES	YES
- NOT AVAILABLE WITH CORDLESS LIFT & LOCK™		
SPACER BLOCKS***** (3/8" & 3/4" DEPTHS)	YES	3/8" STANDARD
EXTENSION BRACKETS (SHORT & LONG)	YES	YES
HOLD-DOWN BRACKETS	YES	YES
- NOT AVAILABLE WITH 2-1/2" CORDLESS LIFT & LOCK™		

FOOTNOTES (FEATURES & SPECIFICATIONS)

* RemoteTilt™ motorization system requires a hand-held REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. RemoteTilt™ requires both a remote & a power source. Please specify when ordering.

** The LightsOut configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering. The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.

*** There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the RemoteTilt™ upgrades.

**** Wood tone blinds will include Antique Brass tape clamps & White/Neutral tone blinds will include White tape clamps on the bottomrail.

***** When ordered with T901 Textured Pure White or T903 Textured Pearl, the Crescent Valance will be a smooth finish.

***** On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".



SIZE SPECIFICATIONS

STANDARD RECTANGULAR	2"	2-1/2"
MINIMUM WIDTH (NET)	8" / 12" with Tapes	12" / 12" with Tapes
MAXIMUM WIDTH (ONE BLIND)	96"	96"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"
MAX. AREA (SQ/FT)	50 SQ/FT	50 SQ/FT
(BLINDS OVER 50 SQ/FT REQUIRE 2 OR 3 ON 1 HEADRAIL)		
MAXIMUM WIDTH 2 OR 3 ON 1 HEADRAIL	120"	120"
MAXIMUM CONTINUOUS VALANCE WIDTH (NOT SPLICED)	102"	102"
CORDLESS LIFT	2"	2-1/2"
MINIMUM WIDTH (NET)	18"	18"
MAXIMUM WIDTH (ONE BLIND)	78"	78"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	72"	72"
MAX. AREA (SQ/FT)	40 SQ/FT	36 SQ/FT
(BLINDS OVER 50 SQ/FT REQUIRE 2 OR 3 ON 1 HEADRAIL)		
CORDLESS LIFT & LOCK™	2"	2-1/2"
MINIMUM WIDTH (NET)	10-1/2"	10-1/2"
MAXIMUM WIDTH (ONE BLIND)	96"	96"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	84"	84"
MAX. AREA (SQ/FT)	40 SQ/FT	31 SQ/FT
MAXIMUM WIDTH 2 OR 3 ON 1 HEADRAIL	120"	120"
MAXIMUM CONTINUOUS VALANCE WIDTH (NOT SPLICED)	102"	102"
REMOTILT™ MOTORIZATION	2"	2-1/2"
MINIMUM WIDTH (NET)	20" / 22" with Tapes	20" / 22" with Tapes
MAXIMUM WIDTH (ONE BLIND)	96"	96"
MAXIMUM HEIGHT	96"	96"
MAX. AREA (SQ/FT)	50 SQ/FT	50 SQ/FT
MAXIMUM CONTINUOUS VALANCE WIDTH (NOT SPLICED)	102"	102"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

INSIDE (IB) MOUNT	
HEADRAIL WIDTH*	- 3/4"
BLIND WIDTH	- 1/2"
BLIND HEIGHT	ORDERED HEIGHT
VALANCE	- 1/8"
OUTSIDE (OB) MOUNT	
HEADRAIL WIDTH*	- 1/4"
BLIND WIDTH	ORDERED WIDTH
BLIND HEIGHT	ORDERED HEIGHT
VALANCE	+ 1"
2 ON 1 HEADRAIL	
GAP BETWEEN PANELS	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements

INSIDE (IB) MOUNT	
MINIMUM MOUNTING DEPTH	1-1/8"
MINIMUM MOUNTING DEPTH, FLUSH MOUNT - 2" SLAT	3-1/2"
MINIMUM MOUNTING DEPTH, FLUSH MOUNT - 2 1/2" SLAT	3-3/4"
OUTSIDE (OB) MOUNT	
MINIMUM FLAT VERTICAL SURFACE	1-3/4"

Footnote: * The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.



CONTROL CHARTS – STANDARD CORD LIFT

CORD CONTROLS

All blinds default to wand tilt

- Cords are **color-coordinated** with slats
- Standard Cord length = 40% blind height
- **For RemoteTilt™**, the tilt function is controlled by remote unit

CONTROL POSITIONS:	MIN. WIDTH (NET)
Tilt Cord center and no Lift Cord*	UNDER 12"
Tilt Cord left / Lift Cord right (standard)	12"
Lift Cord left / Tilt Cord right	12"
Tilt & Lift Cords grouped left	18-1/8"
Tilt & Lift Cords grouped right	18-1/8"

* Available on 2" blinds only

LADDER PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" FAUX		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
8" TO 20" **	2	2
20-1/8" TO 32"	3	2
32-1/8" TO 44"	4	4
44-1/8" TO 56"	5	4
56-1/8" TO 68"	6	4
68-1/8" TO 80"	7	4
80-1/8" TO 96"	8	4

**Under 12" NET for 2" slats only

** Routes are positioned approximately 2" from the end of the slat for blinds less than 12-1/8" wide, and 4" from the end of the slat for all others. Exceptions are standard and LightsOut blinds with grouped controls will be approximately 4-1/2" from end of slat, and 4-3/4" for blinds with cloth tapes and grouped controls.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.

Add in HR+BR for total.

Headrail+Bottomrail = 2-1/2"

2" FAUX		2-1/2" FAUX	
BLIND HEIGHT	STACK HEIGHT	BLIND HEIGHT	STACK HEIGHT
48"	5"	48"	4"
72"	7-1/2"	72"	6-1/4"
84"	9-1/4"	84"	7-1/2"
96"	10-7/8"	96"	9"
Plus + 2-1/2"		Plus + 2-1/2"	

TILT WAND

All blinds default to wand tilt

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.
- **For RemoteTilt™**, tilt function is controlled by remote unit

Color wands up to 48" long. Clear in 60", 70", 78", 90", or 120".


Wand length optional. Specify above optional lengths when ordering.

2" FAUX	
WAND LENGTH	BLIND HEIGHT
12"	12" TO 24"
20"	24-1/8" TO 36"
24"	36-1/8" TO 48"
36"	48-1/8" TO 72"
48"	72-1/8" TO 108"

BREAK-AWAY STOP BALL

Stop balls are standard for ALL lift cords.


The stop ball separates under pressure. It easily snaps together again.



BOTTOMRAIL - STANDARD

2" Trapezoid bottomrails are standard on faux wood blinds with **standard lift cords**.

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



Trapezoid Bottomrail



CONTROL CHARTS – CORDLESS

CONTROLS

All blinds default to wand tilt

- Available with tilt cords, tilt wand or RemoteTilt™
- Tilt cords are **color-coordinated** with slats
- Standard tilt cord length = 40% blind height
- **LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS:	MIN. WIDTH (NET)
Tilt Cord, Wand or RemoteTilt left (only)	UNDER 18"

TILT WAND

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.
- **For RemoteTilt™**, tilt function is controlled by remote unit

Color wands up to 48" long. Clear in 60", 70", 78", 90", or 120".

Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" FAUX	
WAND LENGTH	BLIND HEIGHT
12"	12" TO 24"
20"	24-1/8" TO 36"
24"	36-1/8" TO 48"
36"	48-1/8" TO 72"
48"	72-1/8" TO 108"

LADDER PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" FAUX		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
18" TO 24" **	2	2
24-1/8" TO 36"	3	2
36-1/8" TO 48"	4	4
48-1/8" TO 60"	5	4
60-1/8" TO 72"	6	4
72-1/8" TO 78"	7	4

**Routes are positioned approximately 6" from the end of the slat for all blinds.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.


Add in HR+BR for total.

2" FAUX		2-1/2" FAUX	
BLIND HEIGHT	STACK HEIGHT	BLIND HEIGHT	STACK HEIGHT
48"	5"	48"	4"
72"	7-1/2"	72"	6-1/4"
Plus + 2-1/2"		Plus + 2-1/2"	

BOTTOMRAIL - CORDLESS LIFT

2" **Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



Trapezoid Bottomrail



CONTROL CHARTS – CORDLESS LIFT & LOCK™ SYSTEM

CONTROLS

All blinds default to wand tilt

- Cords are **color-coordinated** with slats
- Standard Cord length = 40% blind height
- For **Cordless Lift & Lock™** the **lift** function is controlled by the bottomrail

CONTROL POSITIONS:	MIN. WIDTH (NET)
Tilt Cord Center ONLY	10-1/2" TO 12-3/8"
Tilt Lift or Right ONLY	12-1/2" & MORE

LADDER PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" FAUX		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
8" TO 24" **	2	2
24-1/8" TO 36"	3	2
36-1/8" TO 48"	4	4
48-1/8" TO 60"	5	4
60-1/8" TO 72"	6	4
72-1/8" TO 78"	7	4

**Routes are positioned approximately 6" from the end of the slat for all blinds.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.

Add in HR+BR for total.

2" FAUX		2-1/2" FAUX	
BLIND HEIGHT	STACK HEIGHT	BLIND HEIGHT	STACK HEIGHT
48"	5"	48"	4"
72"	7-1/2"	72"	6-1/4"
Plus + 2-1/2"		Plus + 2-1/2"	

TILT WAND

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.

Color wands up to 48" long. Clear in 60", 70", 78", 90", or 120".

Wand length optional. Specify above optional lengths when ordering.


2" & 2-1/2" FAUX	
WAND LENGTH	BLIND HEIGHT
12"	12" TO 24"
20"	24-1/8" TO 36"
24"	36-1/8" TO 48"
36"	48-1/8" TO 72"
48"	72-1/8" TO 108"



BOTTOMRAIL - CORDLESS LIFT & LOCK™

2" deep by 2" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to the best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 13. Please refer Cordless Lift & Lock™ Bottomrail Colors sheet to see an example of the bottomrail color.



Aluminum Bottomrail

Note: Bottomrail colors are pre-selected. Hardware color override is not available.

