

2020 Product Reference & Price Guide



Prices subject to change without notice.



SHADES BY MATISS
custom shading solutions

REVOLVE™ TRANSITIONAL SHADES COLLECTION

REVOLVE™ FEATURES & BENEFITS

- A unique roller shade style fabric collection with the benefits of venetian blinds.
- Utilizing advanced weaving techniques, the horizontal lines of Revolve™ Transitional Shade fabric create panoramic views unobstructed by cords.
- Unlike traditional roller fabrics, these modern fabrics can be aligned to achieve view through or privacy, while preserving a soft natural light.
- The soft fabric of a premium shade and the light control and privacy of a venetian blind make the Revolve™ Transitional Shades Collection unparalleled in appearance, versatility and value.



Features.....	2
Fabric Specifications.....	3-4
Revolve Operating Systems	5-6
Price Grids	7-8
Finished Dimensions & Rail Measurements	9
Measuring Instructions	10
Cassette Installation	11
Child Safety	12
Order Form	13



FABRIC SPECIFICATIONS

COLOR	ITEM	CONTENT	FABRIC WEIGHT		FABRIC THICKNESS		WIDTH m inches		ROLL SIZE m yards		GRID
Adriana											
Gray	RC101008	100% Polyester	138 g/sqm (±5%)	4.4 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Ivory	RC101001	100% Polyester	138 g/sqm (±5%)	4.4 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Charcoal	RC101009	100% Polyester	138 g/sqm (±5%)	4.4 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Aria											
Beige	RA280002	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
White	RA280001	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Dark Brown	RA280003	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Reef	RA280004	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Gray	RA280005	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Anthracite	RA280006	100% Polyester	140 g/sqm (±5%)	4.1 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Dot											
Grey	RD202004	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	50 m	55 yd	2
Ivory	RD202002	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	50 m	55 yd	2
Beige	RD202003	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	50 m	55 yd	2
Gemini											
White	RG111000	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	30 m	33 yd	3
Beige	RG111003	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	30 m	33 yd	3
Khaki	RG111006	100% Polyester	138 g/sqm (±5%)	4.1 oz/yd (±5%)	0.49 mm (±5%)	0.0193 in (±5%)	2.80 m	110 in	30 m	33 yd	3
Justin											
Neutral Gray	RJ280006	100% Polyester	150 g/sqm (±5%)	4.4 oz/yd (±5%)	0.46 mm (±5%)	0.0181 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Ice White	RJ280004	100% Polyester	150 g/sqm (±5%)	4.4 oz/yd (±5%)	0.46 mm (±5%)	0.0181 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Cloud	RJ280005	100% Polyester	150 g/sqm (±5%)	4.4 oz/yd (±5%)	0.46 mm (±5%)	0.0181 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Rock Ridge	RJ280008	100% Polyester	150 g/sqm (±5%)	4.4 oz/yd (±5%)	0.46 mm (±5%)	0.0181 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Lauren											
Gray	RN121008	100% Polyester	201 g/sqm (±5%)	6.5 oz/yd (±5%)	0.58 mm (±5%)	0.0228 in (±5%)	2.75 m	108 in	30 m	33 yd	3
White	RN121000	100% Polyester	201 g/sqm (±5%)	6.5 oz/yd (±5%)	0.58 mm (±5%)	0.0228 in (±5%)	2.75 m	108 in	30 m	33 yd	3
Vanilla	RN121002	100% Polyester	201 g/sqm (±5%)	6.5 oz/yd (±5%)	0.58 mm (±5%)	0.0228 in (±5%)	2.75 m	108 in	30 m	33 yd	3
Taupe	RN121004	100% Polyester	201 g/sqm (±5%)	6.5 oz/yd (±5%)	0.58 mm (±5%)	0.0228 in (±5%)	2.75 m	108 in	30 m	33 yd	3
Chocolate	RN121005	100% Polyester	201 g/sqm (±5%)	6.5 oz/yd (±5%)	0.58 mm (±5%)	0.0228 in (±5%)	2.75 m	108 in	30 m	33 yd	3
Lucas											
Gray	RL280008	100% Polyester	110 g/sqm (±5%)	3.2 oz/yd (±5%)	0.41 mm (±5%)	0.0161 in (±5%)	2.80 m	110 in	50 m	55 yd	3
White	RL280001	100% Polyester	110 g/sqm (±5%)	3.2 oz/yd (±5%)	0.41 mm (±5%)	0.0161 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Light Beige	RL280005	100% Polyester	110 g/sqm (±5%)	3.2 oz/yd (±5%)	0.41 mm (±5%)	0.0161 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Luna											
Charcoal	RL50105	100% Polyester	120 g/sqm (±5%)	3.6 oz/yd (±5%)	0.48 mm (±5%)	0.0189 in (±5%)	2.75 m	108 in	50 m	55 yd	1
White	RL50100	100% Polyester	120 g/sqm (±5%)	3.6 oz/yd (±5%)	0.48 mm (±5%)	0.0189 in (±5%)	2.75 m	108 in	50 m	55 yd	1
Ivory	RL50101	100% Polyester	120 g/sqm (±5%)	3.6 oz/yd (±5%)	0.48 mm (±5%)	0.0189 in (±5%)	2.75 m	108 in	50 m	55 yd	1
Beige	RL50102	100% Polyester	120 g/sqm (±5%)	3.6 oz/yd (±5%)	0.48 mm (±5%)	0.0189 in (±5%)	2.75 m	108 in	50 m	55 yd	1
Gray	RL50104	100% Polyester	120 g/sqm (±5%)	3.6 oz/yd (±5%)	0.48 mm (±5%)	0.0189 in (±5%)	2.75 m	108 in	50 m	55 yd	1
Mason											
White	RM280001	100% Polyester	100 g/sqm (±5%)	3.0 oz/yd (±5%)	0.40 mm (±5%)	0.0157 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Ivory	RM280006	100% Polyester	100 g/sqm (±5%)	3.0 oz/yd (±5%)	0.40 mm (±5%)	0.0157 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Beige	RM280003	100% Polyester	100 g/sqm (±5%)	3.0 oz/yd (±5%)	0.40 mm (±5%)	0.0157 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Dark Gray	RM280004	100% Polyester	100 g/sqm (±5%)	3.0 oz/yd (±5%)	0.40 mm (±5%)	0.0157 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Charcoal	RM280005	100% Polyester	100 g/sqm (±5%)	3.0 oz/yd (±5%)	0.40 mm (±5%)	0.0157 in (±5%)	2.80 m	110 in	50 m	55 yd	3

* All fabric weights are +/- 5% of list value



FABRIC SPECIFICATIONS

COLOR	ITEM	CONTENT	FABRIC WEIGHT		FABRIC THICKNESS		WIDTH m inches		ROLL SIZE m yards		GRID
-------	------	---------	---------------	--	------------------	--	------------------	--	---------------------	--	------

Neat

Beige	RN957003	100% Polyester	162 g/sqm (±5%)	5.7 oz/yd (±5%)	0.39 mm (±5%)	0.0154 in (±5%)	2.80 m	110 in	50 m	55 yd	2
White	RN957001	100% Polyester	162 g/sqm (±5%)	5.7 oz/yd (±5%)	0.39 mm (±5%)	0.0154 in (±5%)	2.80 m	110 in	50 m	55 yd	2
Grey	RN957004	100% Polyester	162 g/sqm (±5%)	5.7 oz/yd (±5%)	0.39 mm (±5%)	0.0154 in (±5%)	2.80 m	110 in	50 m	55 yd	2
Charcoal	RN957005	100% Polyester	162 g/sqm (±5%)	5.7 oz/yd (±5%)	0.39 mm (±5%)	0.0154 in (±5%)	2.80 m	110 in	50 m	55 yd	2

Oslo

Light Gray	RO3004197	100% Polyester	98 g/sqm (±5%)	3.2 oz/yd (±5%)	0.38 mm (±5%)	0.0150 in (±5%)	2.80 m	110 in	50 m	55 yd	3
White	RO3004112	100% Polyester	98 g/sqm (±5%)	3.2 oz/yd (±5%)	0.38 mm (±5%)	0.0150 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Cream	RO3004113	100% Polyester	98 g/sqm (±5%)	3.2 oz/yd (±5%)	0.38 mm (±5%)	0.0150 in (±5%)	2.80 m	110 in	50 m	55 yd	3
Taupe	RO3004141	100% Polyester	98 g/sqm (±5%)	3.2 oz/yd (±5%)	0.38 mm (±5%)	0.0150 in (±5%)	2.80 m	110 in	50 m	55 yd	3

Pura

Mushroom	RP10303	100% Polyester	70 g/sqm (±5%)	2.1 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
White	RP10300	100% Polyester	70 g/sqm (±5%)	2.1 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Beige	RP10302	100% Polyester	70 g/sqm (±5%)	2.1 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Coconut	RP10304	100% Polyester	70 g/sqm (±5%)	2.1 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Gray	RP10306	100% Polyester	70 g/sqm (±5%)	2.1 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3

Pura Natural

Cream	RP20401	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
White	RP20400	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Mocha	RP20402	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Chocolate	RP20403	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Mahogany	RP20404	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Charcoal	RP20405	100% Polyester	78 g/sqm (±5%)	2.3 oz/yd (±5%)	0.20 mm (±5%)	0.0079 in (±5%)	2.75 m	108 in	50 m	55 yd	3

Sofia

Vanilla	RE91002	100% Polyester	133 g/sqm (±5%)	4.3 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.75 m	108 in	50 m	55 yd	3
White	RE91000	100% Polyester	133 g/sqm (±5%)	4.3 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Ivory	RE91001	100% Polyester	133 g/sqm (±5%)	4.3 oz/yd (±5%)	0.35 mm (±5%)	0.0138 in (±5%)	2.75 m	108 in	50 m	55 yd	3

Umbra Room Darkening

Ivory	RB40500	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Ice White	RB40510	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Beige	RB40501	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Chocolate	RB40502	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Gray	RB40503	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Slate	RB40504	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4
Anthracite	RB40505	100% Polyester	162 g/sqm (±5%)	4.8 oz/yd (±5%)	0.45 mm (±5%)	0.0177 in (±5%)	2.75	108 in	30 m	33 yd	4

Umbra Wide

Ivory	RW131001	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Ice White	RW130000	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Beige	RW131003	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Chocolate	RW131012	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Gray	RW131008	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Slate	RW131010	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5
Anthracite	RW130011	100% Polyester	185 g/sqm (±5%)	6.0 oz/yd (±5%)	0.50 mm (±5%)	0.0197 in (±5%)	2.75	108 in	30 m	33 yd	5

Venus

Charcoal	RV81009	100% Polyester	145 g/sqm (±5%)	4.7 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Ivory	RV81001	100% Polyester	145 g/sqm (±5%)	4.7 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
Gray	RV81008	100% Polyester	145 g/sqm (±5%)	4.7 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3
White	RV81000	100% Polyester	145 g/sqm (±5%)	4.7 oz/yd (±5%)	0.34 mm (±5%)	0.0134 in (±5%)	2.75 m	108 in	50 m	55 yd	3

* All fabric weights are +/- 5% of list value



REVOLVE™ OPERATING SYSTEMS

A SIGNATURE SHADE COLLECTION

with the architectural appeal of blinds

UNIQUE Inspiring colors, textures and light control to help you design the perfect living space.

QUALITY Modern style utilizing advanced weaving techniques.

FUNCTION Clutch control to align fabrics in various positions to customize view through, light control and privacy.

BEAUTY Timeless fabrics that create an atmosphere of modern sophistication.

FABRIC

light filtering and room darkening fabrics • easy clean 100% polyester fabric • wide range of popular neutral and gray colors • widths to 110" • wide classic solids and trending natural textures • 2" and 3" wide vanes available

CASSETTE 100

Sleek profile; face dimension 2 3/4" • Available in 5 of our most popular colors: white, vanilla, bronze, black & silver • Fabric insert option • Average drop of 120" depending on the fabric

BOTTOM RAIL

Smaller profile • Weighted inner tube • Narrow top opening • Color



Vanes Open

Vanes Closed



ROLLEASE SKYLINE CASSETTE 100 BRACKETS



or



ROLLEASE SKYLINE AND SKYLINE GALAXY GEARED CLUTCHES

CASSETTE
SPLINE

BOTTOM RAIL & ROD



BOTTOM RAIL END CAP

BEAD
CHAIN

BOTTOM RAIL



REVOLVE™ OPERATING SYSTEMS

STANDARD CONTINUOUS CORD LOOP (chain and clutch operated)

- Perfect for larger windows
- Smooth lift-assisted movement
- Eliminate dangling cords



MOTORIZED OPTION

AUTOMATE Advanced Motor Technology by RollEase Acmeda

AUTOMATE™

Built in BATTERY MOTOR:

- The strongest and quietest battery built in motor yet
- 2 way communication, speed control
- Comes pre-charged from our workroom
- Charge using standard outlet - no need for an electrician
- Requires one 6-8 hour charge and will last up to 500 up and down cycles
- Charging cord is 48" +96" extension cord is provided
- Will function during power outage

15-CHANNEL HAND HELD REMOTE

- Touch sensitive controls and LCD display
- Slim magnetic wall mount Leveling control
- Hide unused channel function

SOLAR PANEL

Use it instead of regular charger and forget about charging your shade motor battery again
Saves Power, Utilize sunlight, daylight and in-home light.

AUTOMATE CONTROL AND FREE APP

- Raise and lower window treatments using Automate App
- Set up to 30 shade configurations
- Includes timer functionality
- Allows user to position the shade or group of shades
- Range up to 60Ft in open space (No obstructions)
- Available for Apple iOS and Android



FINISHED DIMENSIONS & RAIL MEASUREMENTS

The Revolve Transitional Shades Collection shades are designed to fit rectangular window openings in a vertical orientation. The maximum width and height of the shades vary with type of fabric. The shades may be installed inside or outside the window opening, or mounted to the ceiling.

REVOLVE SHADE DEDUCTIONS & MOUNTING INFORMATION

SIZE STANDARDS

(See individual price grids for information by fabric.)

NORMAL FABRIC ORIENTATION

Minimum Width	12"
Maximum Width	Varies per fabric; see pages 3-5
Maximum Length	120"

FACTORY DEDUCTIONS WITH CASSETTE 100

Inside Mount Fabric Deduction	ordered width less 1 1/2"
Inside Mount Fabric Deduction	ordered width less 1 3/8"
Inside Mount Headrail Deduction	ordered width less 1/8"
Outside Mount Headrail Deduction	ordered width

* Manufacturing tolerance +/- 1/8"

MOUNTING REQUIREMENTS WITH CASSETTE 100

Minimum Mounting Depth Inside Mount	1 1/2"
Flush Mount Inside Mount	3 3/4"
Minimum Flat Surface Outside Mount	1 1/4"

Note: Minimum mounting depth for a fully recessed installation varies with the diameter of the fabric.

INSTALLATION BRACKETS

Cassette brackets are spring clips which provide the option of a mount from the top or back of the cassette. See installation instructions



MEASURING INSTRUCTIONS

Accurate measurements are absolutely essential. The measurements you provide are used first to price the shade, and then to custom fabricate it to the specified size. The dimensions supplied on the order form must be correct for the shade to properly fit the window opening. As a dealer, it is your responsibility to measure and order accurately. Your fabricator cannot be held accountable for incorrect measurements.

BASIC GUIDELINES

Measuring for Revolve Transitional Shades is similar to measuring for most window coverings. Follow these basic guidelines to ensure a smooth installation:

- Always use a steel tape measure, preferably $\frac{3}{4}$ " to 1" wide
- Measure width first, then height
- Measure each window separately, even if they appear to be the same size
- Survey the window area carefully and make additional measurements, if necessary; record your measurements on a worksheet

INSIDE MOUNT OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the shade fits within the window opening (inside mount or IB) (Fig. 8 and Fig. 9) or overlaps the window opening (outside mount or OB) (Fig. 10 and Fig. 11). With inside mounts, note that the shade fabric will be about $1\frac{1}{4}$ " narrower than the window opening, so if complete privacy and light control is desired, drapery side panels should be installed over the shade.

"ROUNDING" YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within $\frac{1}{8}$ ". Generally, round your measurements up to the nearest $\frac{1}{8}$ ". However, with inside mounts, always round the width measurement down to the nearest $\frac{1}{8}$ ". Rounding up could result in a shade that is too wide to fit within the window opening. For example, for an inside mount, $\frac{3}{16}$ " would round to $\frac{1}{8}$ ".

MEASURING FOR INSIDE MOUNTS

- Measure the width about $1\frac{1}{4}$ " down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest $\frac{1}{8}$ ". This measurement is the ordering width of the shade. Do not make any deductions from this width – all necessary deductions will be made automatically when the shade is fabricated.
- Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.
- Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement. Again, make no deductions. All necessary deductions will be made when the shade is fabricated.
- Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

- Measure depth of window for mounting brackets.

MEASURING FOR OUTSIDE AND CEILING MOUNTS FOR REVOLVE TRANSITIONAL SHADES

- Measure the desired width and height—to minimize light leakage, it is recommended that the shade overlap the window opening at least $1\frac{1}{2}$ " on each side, as well as at the top and bottom; with inside mounts, do not make any deductions from your measurements
- Measure the width at the location where you want the shade, and use this measurement as your ordering width for the shade
- Measure the height from where the top of the roller will be located to where you want the bottom of the shade

INSIDE MOUNT (IB)




Fig. 8

INSIDE MOUNT (IB)




Fig. 9

OUTSIDE MOUNT (OB)




Fig. 10

OUTSIDE MOUNT (OB)





Fig. 11




REVOLVE™ CASSETTE INSTALLATION


- A. Mount the brackets to the wall or window frame with the outside brackets no further than 2 inches from the ends of the headrail. On wide shades, space the additional brackets at equal intervals.




- B. For wall or outside mounts, use the rear bracket holes. Make sure the release tab is always mounted on the bottom. Insert "Release Tab" beside the line.



- C. For inside or ceiling mounts, use the top bracket holes. Make sure the release tab is always mounted on the bottom.



- D. Mount the Headrail by positioning the Headrail with the front panel (A) resting on the top lip of all brackets. Push the bottom front of the headrail firmly backwards and toward the window until the lip on the rear of the Headrail engages the bracket and snaps into place, (B) as shown.





CHILD SAFETY

Revolve Transitional Shades are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include Cord Tensioner devices.

To further reduce the risk of accidents, a Cord Tensioner device is an essential precaution and is therefore included with all Revolve Transitional Shades. Our Revolve Transitional Shades are shipped with a Cord Tensioner Device so that, unless it is properly installed (or altered from the shipped condition with sequential process or tools), it prevents the shade from operating. The Cord Tensioner Device, once installed, can help prevent children from pulling cords around their necks.



CARING FOR SHADES

- **Fabrics are specially treated to repel dust and dirt**
- **Dusting:** Regular dusting maintains a like-new appearance
- **Vacuuming:** For deeper cleaning, vacuum gently with the furniture brush attachment from any vacuum cleaner
- **Spot-Cleaning:** Spot-clean shades with soft cloth or sponge moistened with lukewarm water—blot gently and dry shade in fully lowered position; add mild detergent if needed

For specific care and cleaning instructions, please refer to the product sample card.



REVOLVE™ ORDER FORM

DATE _____ PO NUMBER _____

ACCOUNT NAME _____ ACCOUNT NUMBER _____

ACCOUNT CONTACT _____ PHONE _____ FAX _____

SHIP TO _____ SHIPPING CONTACT _____ PHONE _____

SHIPPING ADDRESS _____

CITY/STATE/ZIP _____

SIDEMARK _____ SPECIAL NOTES* _____

LINE # / TAG NAME	QUANTITY	PATTERN / SKU#	MEASUREMENT IN INCHES		MOUNT	CONTROL SIDE	POWERWAND	FABRIC INSERT	FABRIC COVER	EXTENSION
			WIDTH	LENGTH	(1B or OB)	(L or R)	OPTION	CASSETTE	BOTTOMRAIL	BRACKETS
1.										
2.										
3.										
4.										
5.										
6.										
7.										
8.										
9.										
10.										

*Please note that fabric dye lots may vary slightly from order to order. If you are requesting shades to be mounted in the same room, please note this on the order.
**Dependent on fabric weight, different size clutches may be needed for your shades. If you are requesting shades to be mounted in the same room, please note this on the order.
*** Revolve Transitional Shades come standard with Cassette 100.

MATISS, INC. LIMITED LIFETIME WARRANTY

Matiss, Inc. warrants to the original purchaser of its products, upon the terms of this limited warranty, that its products will be free from defects in materials and workmanship for the reasonable lifetime (except fabrics and motorized items - see below), provided that such products were installed, used and maintained according to Matiss, Inc. written instructions. No salesperson, dealer, retailer, representative of Matiss, Inc. or any other person has the authority to modify this limited warranty in any way, either verbally or in writing. This warranty is not transferable.

Matiss, Inc. warrants to the original purchaser that its products are free of manufacturing defects in factory materials or workmanship for the following specified warranty periods:

Fabrics are warranted from the date of purchase by the original purchaser for the duration of the warranty offered by each specific fabric manufacturer which is typically 10 (ten) years for interior fabrics and 5 (five) years for exterior fabrics. This warranty could vary with certain fabric manufacturers.

Motorized products and motor control systems are warranted for a period of 5 (five) years from the date of purchase by original purchaser. This warranty could vary with certain motor manufacturers. For example, Rollease Acmeda Automate warrants its AC and DC wired motors and electronic accessories to be free from defects in materials and workmanship for 7 (seven) years.

Rollease Acmeda hardware components have a limited lifetime warranty. The bead chain in all manual systems as a fail-safe component is not included in any Matiss, Inc. warranty.

This limited warranty shall remain in effect only if the Matiss, Inc. product has been installed by an authorized dealer, and maintained, cleaned, treated and used correctly. This limited warranty does not cover any conditions resulting from accidents, alterations, normal wear and tear, improper installation, misuse or abuse, exposure to heat and humidity, fading or discoloration over time. Typical normal wear and tear over the lifetime of the product includes for example fading or similar loss of color intensity due to sunlight, fraying of fabric, damage from salt air, insects or pets, worn out cords, loss of pleating due to lack of use, etc.

All moving parts, such as cords, will eventually wear out and fabric may fray, of which these conditions are normal wear and tear, and are not warranted.

The sole remedy under this limited warranty is that Matiss, Inc. shall repair or replace, at its sole discretion, the product or components found to be defective. Matiss, Inc. shall not be responsible for shipping charges or labor costs incurred for removal, re-measuring and/or reinstallation. Repairs will be made with like or similar parts. Colors may vary from lot to lot and may not exactly match sample swatch, sample book or previous purchases. Discontinued components or color selections will be replaced with the closest equivalent current components.

In addition to the above this warranty does not cover:

(a) THIS LIMITED WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES. MATISS, INC. DISCLAIMS ALL OTHER REPRESENTATIONS AND WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY WARRANTY OF MERCHANTABILITY, USE, FITNESS FOR A PARTICULAR PURPOSE OR ARISING FROM USAGE OR COURSE OF DEALING, OR OTHERWISE.

(b) Failure to follow care and use instructions.

(c) The cracking of coated fabrics caused by improper handling like creasing or folding.

(d) Improper use of fabrics for exterior applications unless specifically approved for that use.

(e) In no event shall Matiss, Inc. be liable for loss of profits, indirect, special or consequential damages arising out of any product covered by this limited warranty, or incidental damages, including without limitation loss of use, loss of time or inconvenience, expenses such as telephone, towing, crane, lift charges, haul out charges and other related charges.

(f) In no event shall the liability of Matiss, Inc. exceed the cost of the product.

(g) Some states do not allow the exclusion or limitation of consequential or incidental damages, so this exclusion or limitation may not apply to you.

To obtain warranty service, contact the dealer from whom you purchased the product. Warranty claims must be accompanied by proof of purchase. Products ordered outside of the recommended manufacturing specifications (oversized shades, out of specs units, specialty units etc.) are not covered by this warranty.



