



Prices subject to change without notice.

2020

WOOD BLINDS COLLECTION



TERMS OF SALE & FREIGHT / REPAIR CHARGES

PRICE QUOTATION

All Wood Blinds Collection products are priced FOB San Diego, CA and do not include freight.

All prices subject to change without notice.

To ensure order accuracy, please use the Wood Blinds Collection order form. The blank order form can be found at the back of the price book. Make copies to create additional blank order forms.

EMAIL ORDERS

Complete the order form and submit it to: atl.orders@turnils.com.

CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

LEAD TIME

Typically, orders (less than 10 units) are manufactured and shipped within 5 business days. All orders are subject to inventory availability. Orders placed after 3:30 p.m. EST are considered as next day business.

ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with Turnils. To track your order or check the status of your order, please contact customer service and provide them with the work order number.

STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$6.00 for each blind

\$12.00 minimum charge per shipment

Oversize (96" or above) \$95.00 up to 3 pieces

For express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately. Freight collect orders and using a preferred carrier is optional.

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify Turnils customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.



WHAT'S NEW

- Refreshed color palette featuring new paints, stains and Coastal finish choices
- New Modern valance style offers a flat, contemporary profile – all valance profiles now available in Coastal finish
- Cordless now available on 2-3/8" and 1-3/8" slats
- Improved fabrication of LightsOut routeless slats option to reduce slat displacement
- Spliced valance available up to 168"
- Updated solid cloth tape colors



FEATURES & BENEFITS

- Offered in 1-3/8", 2", and 2-3/8" slat sizes to fit any scale window.
- A wide range of colors and styles, from whites and neutrals to rich wood tones and updated gray selections, or add a unique design element with our distinctive Coastal collection.
- A stylish collection of optional solid and decorative tapes add a fashion accent.
- Optional LightsOut routeless feature helps block additional light, enhances privacy.
- Modern trapezoid bottomrail shape improves appearance and enables blinds to close tighter.
- Your choice of valance styles – standard Decorative, contemporary Crescent, simply elegant Modern, or the larger profile Forte valance.
- Innovative magnetic valance attachment system is secure, easy to install, and fully adjustable.
- Available with upgraded operating systems including Cordless Lift & Lock™, cordless lift and RemoteTilt™ motorization for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt.



COLOR CHART

SMOOTH FINISH (PAINTS & STAINS)

NAME	1-3/8" COLOR #	2" COLOR #	2-3/8" COLOR #
HONEY	287	287	287
STERLING	-	401	-
COLONIAL OAK	-	316	-
KONA	-	320	-
MOCHA	-	295	295
HONEY WHEAT	-	315	-
ANTIQUE	-	299	-
GOLDEN OAK	124	124	124
BEECH	-	285	-
SLATE	-	402	-
MOONLIGHT	-	301	301
BORDEAUX	125	125	125
RUSTIC	291	291	291
FROST	282	282	282
COSMIC	-	284	284
COLONIAL	-	117	-
SPANISH WALNUT	-	319	-
BLANC	026	026	026
MIDNIGHT	-	400	-
HUSK	133	133	133
REDWOOD	-	293	-
STORM	-	296	-
PURE	-	013	013
SYRUP	134	134	134
PECAN	-	318	-
NANTUCKET	-	317	-
POWDER	-	300	300
SUNSET	-	288	-
DAYLIGHT	-	283	-
IVORY	012	012	012



COASTAL

NAME	1-3/8" COLOR #	2" COLOR #	2-3/8" COLOR #
KHAKI	-	807	-
JETTY	-	801	-
GLACIER	-	806	-
SAIL	-	800	-
SHORELINE	-	803	-
VINTAGE	-	805	-



VALANCES

STANDARD VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



STANDARD DECORATIVE - 3" PROFILE

- Standard on All Styles

CRESCENT VALANCE - 3" PROFILE (OPTIONAL)

- Optional on All Styles

MODERN VALANCE - 3" PROFILE (OPTIONAL)

- Optional on All Styles

FORTE VALANCE - 4" PROFILE (UPGRADE)

- Optional on All Styles

Note: Outside mount returns are adjusted longer by the factory when short or long extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment.

Please specify longer custom return lengths when ordering if necessary.

Note: Inside mount blind valances do not come with returns unless specified on the order.

SLAT SIZE/STYLE

1-3/8" Woods

2" Woods

2-3/8" Woods (+ 3/8" spacer blocks)

2" Coastal Woods

STANDARD OB

RETURNS

3"

3"

3-3/8"

3"

KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.



VALANCE / RETURN SPECIFICATIONS

Custom valance widths are available upon request. Maximum widths for valance are as follows:

The maximum Continuous Valance width is 102"

The maximum Spliced Valance width is 168"(See note below).

Custom return lengths are available upon request.

The minimum return length is 1/2"

The maximum return length is 6"

3" Return lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

Returns + Short Extension Brackets = 4-1/4"


Returns + Small Spacer Blocks = 3-3/8"

Returns + Long Extension Brackets = 6-1/4"

Returns + Large Spacer Blocks = 3-3/4"

Note: Valances over 102" will be spliced in the middle. **A decorative keystone will be supplied at no charge to join the sides and conceal the splice.**

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:



Note: Valances are cut to measure from the inside miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The Cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

SMOOTH FINSH (PAINTS & STAINS)	2" COLOR #	2-3/8" COLOR #	CORDLESS LIFT & LOCK™ BOTTOMRAIL	
			COLOR	COLOR #
HONEY	287	287	CAMEL	082
STERLING	401	-	PEARL GRAY	879
COLONIAL OAK	316	-	CAMEL	082
KONA	320	-	SWEET CHOCOLATE	378
MOCHA	295	295	VENETIAN BRONZE	234
HONEY WHEAT	315	-	CAMEL	082
ANTIQUE	299	-	SWEET CHOCOLATE	378
GOLDEN OAK	124	124	WILD GINGER	463
BEECH	285	-	CAMEL	082
SLATE	402	-	GRAY FLANNEL	405
MOONLIGHT	301	301	ANTIQUE WHITE	973
BORDEAUX	125	125	VENETIAN BRONZE	234
RUSTIC	291	291	SWEET CHOCOLATE	378
FROST	282	282	PEARL	974
COSMIC	284	284	PEARL	974
COLONIAL	117	-	WILD GINGER	463
SPANISH WALNUT	319	-	SWEET CHOCOLATE	378
BLANC	026	026	PEARL	974
MIDNIGHT	400	-	BLACK	048
HUSK	133	133	VENETIAN BRONZE	234
REDWOOD	293	-	COGNAC	282
STORM	296	-	ALABASTER	002
PURE	013	013	PEARL	974
SYRUP	134	134	GINGER	187
PECAN	318	-	COCOA	083
NANTUCKET	317	-	WD GOLD	422
POWDER	300	300	PEARL	974
SUNSET	288	-	WILD GINGER	463
DAYLIGHT	283	-	PEARL	974
IVORY	012	012	ALABASTER	002
COASTAL	2" COLOR #	2-3/8" COLOR #	COLOR	COLOR #
KHAKI	807	-	COCOA	083
JETTY	801	-	SMOKEY GRAY	443
GLACIER	806	-	SMOKEY GRAY	443
SAIL	800	-	ANTIQUE WHITE	973
SHORELINE	803	-	ANTIQUE WHITE	973
VINTAGE	805	-	BRONZE	064

Note: Bottomrail colors are pre-selected. Hardware color override is not available. Please refer to the Cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.



SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-3/8" wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking

Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **THE DECORATIVE TAPE IS ONLY APPLIED TO THE LADDER ON THE FRONT OF THE BLIND. THE BACK OF THE BLIND WILL HAVE A SOLID COLOR TAPE VISIBLE (SEE CHART BELOW).**

SOLID TAPES

1" SOLID TAPE	COLOR #
ALABASTER	1113
BLACK	1899
CHOCOLATE	1376
DARK BEIGE	1323
DARK GRAY	1850
LIGHT BEIGE	1322
LIGHT GRAY	1861
PECAN	1334
STEEL	1867
TAUPE	1302
WHITE	1100

1-1/2" SOLID TAPE	COLOR #
ALABASTER	8113
BLACK	8899
CHOCOLATE	8376
DARK BEIGE	8323
DARK GRAY	8850
LIGHT BEIGE	8322
LIGHT GRAY	8861
PECAN	8334
STEEL	8867
TAUPE	8302
WHITE	8100

DECORATIVE TAPES

1-1/8" DECO TAPE	COLOR #	ATTACHED TO
GRAY CREAM BAND	5007	ALABASTER
GRAY GOLD BAND	5006	ALABASTER
1-1/4" DECO TAPE	COLOR #	ATTACHED TO
STONEWASH COCOA	5003	LIGHT BEIGE
STONEWASH ESPRESSO	5005	CHOCOLATE
STONEWASH GRAY	5002	ALABASTER
STONEWASH KHAKI	5001	ALABASTER

1-1/2" DECO TAPE	COLOR #	ATTACHED TO
DUBLIN	6200	ALABASTER
IVORY ACCENT	0911	ALABASTER
KNIT FIT	4300	ALABASTER
WHITE ACCENT	0910	WHITE

SOLID AND DECORATIVE TAPES ARE NOT AVAILABLE WITH:

LightsOut Routeless Feature

Cordless Lift

Cordless Lift & Lock™



PRODUCT SPECIFICATIONS

FEATURES	1-3/8"	2" SMOOTH	2" COASTAL	2-3/8"
# of Colors	9	30	6	14
Headrail Size	1-1/2" X 2-1/4"	1-1/2" X 2-1/4"	1-1/2" X 2-1/4"	1-1/2" X 2-1/4"
Headrail Gauge	.024	.024	.024	.024
Bracket Style	BOX	BOX	BOX	BOX
Ladder Space between slats	30MM	44MM	44MM	54MM
Cord Tilt	YES	YES	YES	YES
Decorative Valance	YES - 3"	YES - 3"	YES - 3"	YES - 3"
Valance Return Lengths (standard for OB mounts)	3"	3"	3"	3-3/8"
Magnetic Valance Attachment System	YES	YES	YES	YES
Decorative Wood Tassel	YES	YES	YES	YES
Break-Away Stop Ball -NOT AVAILABLE with Cordless lift -NOT AVAILABLE with Cordless Lift & Lock™	YES	YES	YES	YES
OPTIONS AND UPGRADES	1-3/8"	2" SMOOTH	2" COASTAL	2-3/8"
Cordless Lift -NOT AVAILABLE with Tapes -NOT AVAILABLE with LightsOut Routeless feature	YES	YES	YES	YES
Cordless Lift & Lock™ -NOT AVAILABLE with Tapes -NOT AVAILABLE with LightsOut Routeless feature	-	YES	YES	YES
RemoteTilt System* -NOT AVAILABLE with cordless Lift & Lock™	YES	YES	YES	YES
Cordless Lift System Plus Remotetilt™ system	YES	YES	YES	YES
LightsOut Routeless Slats** -NOT AVAILABLE with Tapes -NOT AVAILABLE with Cordless lift -NOT AVAILABLE with Cordless Lift & Lock™	YES	YES	YES	YES
2 or 3 On 1 Headrail*** -3-ON-1 HEADRAIL NOT AVAILABLE with cordless Lift & Lock™	YES	YES	YES	YES
Tapes**** -NOT AVAILABLE with Cordless lift -NOT AVAILABLE with Cordless Lift & Lock™ -NOT AVAILABLE with LightsOut Routeless feature	-	YES	YES	YES
Tape Valance – Standard Decorative Valance Only	YES	YES	YES	YES
Crescent Valance	YES	YES	YES	YES
Soho Valance	YES	YES	YES	YES
Forte Valance	YES	YES	YES	YES
Keystone Valance	YES	YES	YES	YES
CONTROL/MOUNTING OPTIONS	1-3/8"	2" SMOOTH	2" COASTAL	2-3/8"
Wand Tilt -NOT AVAILABLE with Remotetilt™ option	YES	YES	YES	YES
Control Positions	LR, RL OR GROUPED	LR, RL OR GROUPED	LR, RL OR GROUPED	LR, RL OR GROUPED
Tilt Control Position – Cordless Lift	LEFT TILT ONLY	LEFT TILT ONLY	LEFT TILT ONLY	LEFT TILT ONLY
Tilt Control Position – Cordless Lift & Lock™	N/A	L OR R	L OR R	L OR R
Tilt Control Position – RemoteTilt™	L OR R	L OR R	L OR R	L OR R
Tile Cut-out(s) -NOT AVAILABLE with Cordless Lift & Lock™	YES	YES	YES	YES
Spacer Blocks***** (3/8" & 3/4" Depths)	YES	YES	YES	3/8" STANDARD
Extension Brackets (Short & Long)	YES	YES	YES	YES
Hold-down Brackets -NOT AVAILABLE with 2-3/8" Cordless Lift & Lock™	YES	YES	YES	YES

FOOTNOTES (FEATURES & SPECIFICATIONS)

* RemoteTilt™ motorization system requires a hand-held REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. RemoteTilt™ requires both a remote and a power source. Please specify when ordering.

** The LightsOut configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering. The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will be notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.

*** There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the Cordless Lift or RemoteTilt™ upgrades.

**** Wood tone blinds will include Antique Brass tape clamps and White/Neutral tone blinds will include White tape clamps on the bottomrail.

***** On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the



SIZE SPECIFICATIONS

2" OPTIONS	2" STANDARD	2" CORDLESS	2" CORDLESS LIFT & LOCK™	2" REMOTETILT™ MOTORIZATION*
Minimum Width (Net)	8" / 12" WITH TAPES	18"	10-1/2"	20" / 22" WITH TAPES
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT) Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 SQ/FT	45 SQ/FT	45 SQ/FT	50 SQ/FT
Maximum Width 2 on 1 Headrail	120"	-	120"	-
Maximum Width 3 on 1 Headrail	120"	-	-	-
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"

2-3/8" OPTIONS	2-3/8" STANDARD	2-3/8" CORDLESS	2-3/8" CORDLESS LIFT & LOCK™	2-3/8" REMOTETILT™ MOTORIZATION
Minimum Width (Net)	12" / 12" WITH TAPES	18"	10-1/2"	20" / 22" WITH TAPES
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT) Blinds over 50 SQ/FT require 2 or 3 on 1 headrail	50 SQ/FT	45 SQ/FT	50 SQ/FT	50 SQ/FT
Maximum Width 2 on 1 Headrail	120"	-	120"	-
Maximum Width 3 on 1 Headrail	120"	-	-	-
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"

1-3/8" OPTIONS	1-3/8" STANDARD	1-3/8" CORDLESS	1-3/8" CORDLESS LIFT & LOCK™**	1-3/8" REMOTETILT™ MOTORIZATION*
Minimum Width (Net)	8"	18"	-	12"
Maximum Width (One blind)	102"	78"	-	96"
Minimum Height	12"	12"	-	12"
Maximum Height	126"	84"	-	96"
Max. AREA (SQ/FT) Blinds over 50 SQ/FT require 2 or 3 on 1 headrail	50 SQ/FT	45 SQ/FT	-	50 SQ/FT
Maximum Width 2 on 1 Headrail	120"	-	-	-
Maximum Width 3 on 1 Headrail	120"	-	-	-
Maximum Continuous Valance Width (not spliced)	102"	102"	-	102"

*RemoteTilt™ Motorization is not available with Cordless Lift & Lock™

**1-3/8" Wood Blinds are not available with Cordless Lift & Lock™ or Tapes

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

INSIDE (IB) MOUNT	
Headrail Width*	- 3/4"
Blind Width	- 1/2"
Blind Height	ordered height
Valance	- 1/8"
OUTSIDE (OB) MOUNT	
Headrail Width*	- 1/4"
Blind Width	ordered Width
Blind Height	ordered height
Valance	+ 1"
2 ON 1 & 3 ON 1 HEADRAIL	
Gap Between Panels	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements

INSIDE (IB) MOUNT	
Minimum Mounting Depth	1-1/8"
Minimum Mounting Depth, Flush Mount - 1-3/8", 2"	3-1/2"
Minimum Mounting Depth, Flush Mount - 2-3/8"	3-3/4"
OUTSIDE (OB) MOUNT	
Minimum Flat Vertical Surface	1-3/4"

Footnote: * The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets



CONTROL CHARTS/COMPONENTS – STANDARD RECTANGULAR

TILT WAND

- Wood tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.

WAND LENGTH	BLIND HEIGHT
12"	12" TO 24"
20"	24-1/8" TO 36"
24"	40-1/8" TO 48"
36"	60-1/8" TO 72"
48"	72-1/8"+

Wood wands up to 48" long. Clear Plastic in 60", 70", 78", 90", or 120".
Wand length optional. Specify optional lengths when ordering.

CONTROLS

- *All blinds default to wand tilt*
- Cords are **color-coordinated** with slats
- Standard Cord length = 40% blind height
- For **RemoteTilt™**, the **tilt** function is controlled by remote unit

CONTROL POSITIONS	MIN. WIDTH (NET)
Tilt Cord center and no Lift Cord*	UNDER 12"
Tilt Cord left / Lift Cord right (standard)	12"
Lift Cord left / Tilt Cord right	12"
Tilt & Lift Cords grouped left	18-1/8"
Tilt & Lift Cords grouped right	18-1/8"

* Available on 2" blinds only

LADDER TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.

1-3/8" & 2" WOOD		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
8" TO 36"	2	2
36-1/8" TO 56-1/4"	3	2
56-3/8" TO 78-1/4"	4	4
78-3/8" TO 100-1/4"	5	4
100-3/8" TO 102"	6	4

2-3/8" WOOD		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
8" TO 36"	2	2
36-1/8" TO 52"	3	2
52-1/8" TO 72"	4	4
72-1/8" TO 92"	5	4
92-1/8" TO 102"	6	4

** Routes are positioned approximately 2" from the end of the slat for blinds less than 12" wide, and 3-3/4" from the end of the slat for blinds less than 18" wide, and 6-1/4" from the end of the slat for all others

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.
Add in HR+BR for total.

1-3/8" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	5-3/4"
60"	7-3/8"
72"	8-3/4"
84"	10-1/4"
96"	11-1/4"

Plus + 2-1/2"

Headrail+Bottomrail = 2-1/2"

2" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

Plus + 2-1/2"


2-3/8" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	3-1/8"
60"	3-7/8"
72"	4-5/8"
84"	5-3/8"
96"	6-1/4"

Plus + 2-1/2"

BREAK-AWAY STOP BALL

Stop balls are standard for ALL lift cords.

The stop ball separates under pressure.
It easily snaps together again.



BOTTOMRAIL - STANDARD

Trapezoid bottomrails are standard on wood blinds

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating). It also accommodates a smaller flat 1" tape clamp when solid or decorative tapes are ordered.



Note: Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.



CONTROL CHARTS – CORDLESS

CONTROLS

All blinds default to wand tilt

- Available with tilt cords, tilt wand or RemoteTilt™
- Tilt cords are **color coordinated** with slats
- Standard tilt cord length = 40% blind height
- See tilt wand info on page 13 for wand lengths
- **LIFT** function is controlled from the bottom rail

MIN. WIDTH (NET)

18"

TILT CONTROL POSITIONS:

Tilt Cord, Wand or RemoteTilt **left** (only)

LADDER PLACEMENT CHARTS

The charts show the number of ladders and routes based on the width of the blind.

1-3/8" & 2" WOOD		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
18" TO 38-1/8"	2	2
38-1/4" TO 60-1/8"	3	2
60-1/4" TO 78"	4	4

2-3/8" WOOD		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
18" TO 36"	2	2
36-1/8" TO 60-1/8"	3	2
60-1/4" TO 78"	4	4

**Routes are positioned approximately 6-1/4" from the end of the slat for blinds less than 38-1/4" wide, and 8-1/4" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.

Add in HR+BR for total.

Headrail+Bottomrail = 2-1/2"

1-3/8" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	5-3/4"
60"	7-3/8"
72"	8-3/4"
84"	10-1/4"
96"	11-3/4"

Plus + 2-1/2"

2" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

Plus + 2-1/2"

2-3/8" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	3-1/8"
60"	3-7/8"
72"	4-5/8"
84"	5-3/8"
96"	6-1/4"

Plus + 2-1/2"



CONTROL CHARTS – CORDLESS LIFT & LOCK™ SYSTEM

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths. Specify other when ordering.
- Tilt Length Override - Specify length when ordering.

2" & 2-3/8" WOOD	
WAND LENGTH	BLIND HEIGHT
20"	12" TO 36"
24"	36-1/8" TO 48"
36"	48-1/8" TO 72"
48"	72-1/8" TO 84"



CONTROLS

All blinds default to wand tilt

- Cords are **color-coordinated** with slats
- Standard Cord length = 40% of blind height
- For **Cordless Lift & Lock™** the **lift** function is controlled by the bottomrail

MIN. WIDTH (NET)

10-1/2" TO 12-3/8"
12-1/2" AND MORE

CONTROL POSITIONS:

Tilt Cord **Center ONLY**

Tilt **Left** or **Right ONLY**

LADDER PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.


2" & 2-3/8" WOOD		
BLIND WIDTH	# OF LADDERS	# OF ROUTES
10-1/2" TO 36"	2	2
36-1/8" TO 56"	3	2
56-1/8" TO 78"	4	4
78-1/8" TO 96"	5	4

**Routes are positioned approximately 2-1/2" from the end of the slat for blinds less than 12-1/2" wide, 3" from the end of the slat for blinds less than 19-3/4" wide, and 6" from the end of the slat for all others.

BOTTOMRAIL - CORDLESS LIFT & LOCK™

A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 10. Please refer Cordless Lift & Lock™ Bottomrail Colors sheet to see an example of the bottomrail color.



Aluminum Bottomrail

Note: Bottomrail colors are pre-selected.
Hardware color override is not available.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised.

Add in HR+BR for total.

Headrail+Bottomrail = 2-1/2"

2" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	4"
60"	5"
72"	6"
84"	7"

Plus + 2-1/2"

2-3/8" WOOD	
BLIND HEIGHT	STACK HEIGHT
48"	3-1/8"
60"	3-7/8"
72"	4-5/8"
84"	5-3/8"

Plus + 2-1/2"

